Improving lazy abstraction for SCR specifications through constraint relaxation

Renzo Degiovanni^{1,3} | Pablo Ponzio^{1,3} | Nazareno Aguirre^{1,3} | Marcelo Frias^{2,3}

¹Departamento de Computación, FCEFQyN, Universidad Nacional de Río Cuarto, Río Cuarto, Argentina

²Departamento de Ingeniería Informática, Instituto Tecnológico Buenos Aires, Buenos Aires, Argentina

³Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Argentina

Correspondence

Departamento de Computación, FCEFQyN, Universidad Nacional de Río Cuarto. Ruta Nac. No. 36 Km. 601, Río Cuarto, 5800, Argentina. Email: rdegiovanni@dc.exa.unrc.edu.ar

Funding information

Argentina's ANPCyT, Grant/Award Number: PICT 2012-1298, 2013-2624, 2015-2341 and 2015-2088; NPRP, Grant/Award Number: NPRP-4-1109-1-174; Qatar National Research Fund (a member of Qatar Foundation)

Summary

Formal requirements specifications, eg, software cost reduction (SCR) specifications, are challenging to analyse using automated techniques such as model checking. Since such specifications are meant to capture requirements, they tend to refer to real-world magnitudes often characterized through variables over large domains. At the same time, they feature a high degree of nondeterminism, as opposed to other analysis contexts such as (sequential) program verification. This makes model checking of SCR specifications difficult even for symbolic approaches. Moreover, automated abstraction refinement techniques such as counterexample guided abstraction refinement fail in many cases in this context, since the concrete state space is typically large, and reaching specific states of interest may require complex executions involving many different states, causing these approaches to perform many abstraction refinements, and making them ineffective in practice. In this paper, an approach to tackle the above situation, through a 2-stage abstraction, is presented. The specification is first relaxed, by disregarding the constraints imposed in the specification by physical laws or by the environment, before being fed to a counterexample guided abstraction refinement procedure, tailored to SCR. By relaxing the original specification, shorter spurious counterexamples are produced, favouring the abstraction refinement through the introduction of fewer abstraction predicates. Then, when a counterexample is concretizable with respect to the relaxed (concrete) specification but it is spurious with respect to the original specification, an efficient though incomplete refinement step is applied to the constraints, to cause the removal of the spurious case. This approach is experimentally assessed, comparing it with related techniques in the verification of properties and in automated test case generation, using various SCR specifications drawn from the literature as case studies. The experiments show that this new approach runs faster and scales better to larger, more complex specifications than related techniques.

KEYWORDS

lazy abstraction, model checking, requirements specification, software cost reduction (SCR)

1 | INTRODUCTION

The requirements process, consisting of thoroughly describing the features that software artifacts must possess, is recognized as an important phase in the development of quality software [1–3]. This phase often involves some requirements specification framework or language specifically designed for the task, whose usage leads to better requirements elicitation, eg, by exposing imprecisions in the description of software features, missing cases, and even contradictions among different requirements. Thus, a main benefit of a rigorous requirements process lies in its potential to expose errors at early stages of software development, when these are easier and less expensive to correct.

Various approaches aim at aiding in eliciting, describing, and organizing requirements, most of which are based on informal notations (eg, the approaches by Stevens et al. [4] and Maiden and Alexander [5]). Some approaches, on the other hand, are based on *formal* notations, leading to

inherently unambiguous specifications, better suited for automated or semiautomated analyses. Software cost reduction (SCR) [6, 7, 8] is a formal methodology for describing software requirements.

Software cost reduction's distinctive feature is its *tabular* notation that allows one to organize large and unstructured requirements into smaller and well-structured tables, yielding more modular requirements specifications that are easier to understand and mantain. Software cost reduction is useful to describe the interactions between a software system and its operating environment, as well as the particular features imposed by the nature of the environment itself.

Software cost reduction has been successfully used for eliciting the requirements of many safety critical applications, including an aircraft's operational flight program [6], a submarine's communications system [9], the control software of a nuclear power plant [10], among others [11–13]. It has also been used as part of a process for developing human-centric decision systems [14] and as part of an approach to the development of trustworthy autonomous systems [15] and to derive event-based transition systems from goal-oriented requirements models [16]. In addition, several tools supporting automated analysis of SCR specifications have been developed, most notably the toolset introduced by Heitmeyer et al. [17], which performs type checking, consistency checking (no contradictory requirements, no missing cases, etc), simulation of user provided scenarios, and other analysis tasks. Two particularly difficult analyses regarding SCR specifications are *test case generation*, ie, producing executions of the system from the specification of the requirements and the verification of properties of the specification. The former is very important for contrasting the expected behaviour of the system, as specified by the formal requirements, and the actual behaviour of the system once it is implemented (it is in fact an instance of the so-called *model based testing* approach). The latter is very useful as a way of checking properties that are expected to emerge as a consequence of the requirements. For both these analyses, a typical mechanism used in the context of SCR specifications is *model checking*, including some rather sophisticated approaches (eg, those introduced by Bultan and Heitmeyer [18]).

A main limitation in automated analyses is the state explosion problem: Automated analyses are at least polynomial on the size of the state space of a specification, and such size grows exponentially with the complexity of the specification (eg, increasing number of variables or the size of their domains and increasing number of components in a specification). In requirements specifications, there is typically a need to refer to real-world magnitudes, which are often formally characterized through variables over large domains, increasing the size of the state space. Also, since they correspond to early phases of software development, they often feature a high degree of nondeterminism, compared to other more concrete descriptions, such as designs and source code. Thus, model checking requirements specifications are a challenging task, even for symbolic approaches. Approaches that use abstraction as a way of tackling state explosion, by producing more abstract versions of a specification that are better suited for analysis, have also been used for requirements analysis. However, these mechanisms also suffer from known limitations. Some approaches require manual abstractions [17, 19]. Heitmeyer et al. [17] perform ad hoc abstractions on specifications, while Gargantini and Heitmeyer [19] propose manually shrinking the domains of numeric variables before analysis. Ad hoc abstractions require careful observation of the specification and the property to be verified, or the goal to be reached in the case of test case generation, by an experienced engineer, a time-consuming and expensive activity; on the other hand, proving a property true or reaching a goal in a specification with manually reduced domains does not guarantee that the property holds or the goal is actually reached in the original specification. This is an important problem, in particular, in relation to test case generation, where the produced test cases are used to contrast expected behaviour with the actual system behaviour; when these scenarios come from manually abstracted specifications, they will need to be (manually) concretized to be contrastable with the system.

Techniques that automatically refine abstractions for analysis, eg, counterexample guided abstraction refinement (CEGAR) [20, 21], also have difficulties to be applied in the domain of requirements specifications, since the concrete state space in such specifications is typically large, and reaching specific states of interest may require complex executions involving many different states, causing these approaches to perform many abstraction refinements and making them ineffective in practice.

In this paper, an approach to tackle the above situation, through a 2-stage abstraction, is presented. The specification is first relaxed, by disregarding the constraints imposed in the specification by physical laws or by the environment, before being fed to a CEGAR procedure, tailored to SCR. Essentially, the first stage is motivated by the observation that, by disregarding environmental constraints imposed on monitored (numerical) variables of SCR requirements specifications, one obtains a *relaxed* specification, adequate for the verification of properties that do not need to precisely track the validity of such environmental constraints. At the same time, by relaxing the original specification, shorter spurious counterexamples are produced, favouring the abstraction refinement through the introduction of fewer abstraction predicates. The second stage is a standard CEGAR procedure [22], designed to exploit inherent characteristics of SCR specifications such as the division of the state space in mode classes, to achieve better performance. It is complete with respect to the relaxed specifications it is fed with. However, concretizable counterexamples may still be spurious with respect to the original specification. These receive a *lightweight* treatment that only allows it to remove spurious cases when infeasibility can be blamed on atomic transitions, through the addition of transition invariants that cause their removal, constituting an *incomplete* refinement of the relaxed specification.

The presented technique is evaluated for verifying properties of requirements specifications and generating tests from specifications, on a number of case studies taken from the literature. These experiments show that this technique outperforms previous approaches (including previous work by authors of this article [23], by orders of magnitude). Moreover, these cases show that indeed many properties do not need to precisely track the validity of environmental constraints, witnessed by the very low number of refinements required on the relaxed specifications and that the lightweight refinement of the relaxed specification is powerful enough to handle the assessed specifications, not falling into its source of incompleteness in any of these cases.

The remainder of this article is organized as follows. In Section 2, the SCR method is discussed, as well as the motivation for this work. In Section 3, the lazy abstraction approach for the analysis of SCR specifications is presented, which serves as a core of the whole analysis approach, described in Section 4. Later on, in Section 5, the experimental evaluation is presented. Finally, Section 6 discusses related work, while the conclusions are presented in Section 7.

2 | SOFTWARE COST REDUCTION

Software cost reduction is a method and a language for describing software requirements [24,25]. A distinctive feature of SCR is its *tabular* notation for describing requirements, resulting in specifications that are more modular and easier to understand and maintain. Software cost reduction is a formal language with a precisely defined semantics. An SCR requirements specification describes how the system must interact with its environment to accomplish its desired goal, eg, ensuring that some property always holds in the environment. In SCR, the system is conceived as an actuator that reads the values of some quantities of interest from the environment via its *monitored* (input) variables, and based on such inputs dictates which values the system must produce on its *controlled* (output) variables, which in turn produce changes in output devices to (indirectly) alter the environment to accomplish the system's goal. From the point of view of the system, the environment nondeterministically triggers input events, via (feasible) changes in the monitored variables. The system is aware of the environmental alterations associated to input events through changes in the environment. Formally, the requirements are described in SCR by means of a mathematical relation among the system's monitored and controlled variables, called **REQ**, defining, for fixed values of monitored variables, the accepted values for the system's controlled variables. Furthermore, SCR allows one to describe constraints of the system's environment by means of another (mathematical) relation, called **NAT**.

As an example, that will be used as a running case study throughout this article, consider the safety injection system (SIS) [26] and whose SCR specification is depicted in Figure 1. Safety injection system is in charge of partially controlling a nuclear power plant by tracking the water pressure of a cooling subsystem via a monitored variable mWaterPres and the state of 2 user-controlled switches, one that prevents the system from being engaged (monitored variable mBlock) and another that reactivates the system after being blocked (monitored variable mReset). Safety injection system requirements (relation **REQ**) should state that when the water pressure level is too low (dangerous), the system must administer a "safety injection" that takes the water pressure back to a normal level. Thus, SIS sets controlled variable cSafetyInjection to true to indicate that a safety injection must be applied.

Constraints on the SIS environment (relation **NAT**) may state, for instance, that due to physical laws, the water pressure levels can vary between 0 and 5000 and that the sensoring equipment guarantees that the difference between 2 consecutive measurements of the water pressure level cannot be greater than 10.

Software cost reduction also introduces the notions of *modes* and *mode classes*. A *mode class* is, essentially, an internal controlled variable that allows the system to maintain state information, whose possible values are the *modes*. For example, SIS defines mode class mcPressure, which

Old mode	Event	New mode			
TooLow	@T(mWaterPres >= Low)	Permitted			
Permitted	@T(mWaterPres < Low)	TooLow			
Permitted	<pre>@T(mWaterPres >= Permit)</pre>	High			
High	<pre>@T(mWaterPres < Permit)</pre>	Permitted			
(A) Mode alass meDree cauro					

(A) Mode class mcPressure

Modes	Events			
High	Never	@F(mcPressure=High)		
TooLow,	@T(mBlock=On)	@T(mcPressure=High)		
Permitted	when mReset=Off	OR @T(mReset=On)		
tOverridden	True	False		

(B) Term t	Overr	i	dden
------------	-------	---	------

Modes	Conditions				
High, Permitted	True	False			
TooLow	tOverridden	NOT tOverridden			
cSafetyInjection	Off	On			
$(\mathbf{O}) \mathbf{O} + 1 1 1$ and $\mathbf{C} + \mathbf{T} 1 1 1$					

(C) Controlled var. cSafetyInjection

introduces modes TooLow, Permitted, and High. These modes indicate that water pressure levels are currently too low (dangerous), normal, and high, respectively.

Software cost reduction specifications are *typed*; variables can only take values from their corresponding typesets. A mode class' typeset is the set of the modes it introduces. For the above example, mode class mcPressure defines modes TooLow, Permitted, and High; monitored variables mBlock and mReset are of type {On,Off}, and mWaterPres is an integer ranging from 0 to 5000; controlled variable cSafetyInjection is Boolean. Software cost reduction also features the definition of constants; in SIS, constants Low (900) and Permit (4000) represent the thresholds for entering modes TooLow and High, respectively.

The syntax adopted for basic events in SCR is @T(cond), where cond is a logical predicate. Its semantics is that the system (atomically) transitions from a state where cond does not hold to a state satisfying cond, ie, it intuitively reads as "cond becomes true." For example, @T(mWaterPress >= Low) (see the first row in Figure 1A) states that the water pressure level just became greater than or equal to Low (it was less than Low in the previous state). Expression @F(cond) is the dual of @T(cond) ("cond" just became false). The events that occur in the system environment and affect the values of monitored variables are called *input events*. They drive the execution of the system (ie, the system reacts to input events).

The relation that governs the intended behaviour of the system, namely, **REQ**, is captured in SCR through a set of tables. Tables can be either *mode transition, event*, or *condition* tables. A *mode transition table* describes how a system's mode class changes in response to events. Safety injection system' mode transition table, corresponding to mode class mcPressure, is shown in Figure 1A. For example, the first row states that when the system is in mode TooLow and monitored variable mWaterPres is increased reaching or exceeding Low (ie, input event @T (mWaterPres >= Low) occurs), then the system transitions into mode Permitted. An *event table* defines how a variable (other than a mode class) changes its value in response to events. The only *event table* for SIS is shown in Figure 1B. It defines a *term* (a kind of auxiliary internal variable of the specification) called toverridden. toverriden is true when the system actions are overridden, ie, when the block switch is pressed and the reset switch is not, while the mode is not High. Figure 1B shows that toverriden takes the value True (row 3, column 2) when the mode is TooLow or Permitted (row 2, column 1) and event @T (mBlock=On) when mReset=Off occurs (row 2, column 2). This last expression is an example of a *conditioned event*, which is triggered only when mBlock becomes On while mReset is Off. Finally, a *condition table* defines a variable cSafe-tyInjection in terms of the values of mcPermitted and toverriden. For example, the table states that the safety injection must be applied (cSafetyInjection is On in row 3, column 3) when the system is in mode TooLow (row 2, column 1) and the system actions are not overridden (row 2, column 3).

2.1 | SCR semantics

In this section, the standard SCR semantics is briefly discussed. The reader is referred to the work of Heitmeyer et al. [17] for further details. In Section 3.1, a slightly different presentation of this SCR semantics, which fits better the introduction of the lazy predicate abstraction (LPA) algorithm for SCR analysis, is provided. Throughout this section, a fixed SCR specification *Spec* is assumed.

Formally, the *system* modelled by *Spec* is represented by a labelled transition system (LTS) $\Sigma_{Spec} = (S, S_0, E, T)$, where *S* is the (finite) set of system states, $S_0 \subseteq S$ are the initial states, and *E* are the input events that it observes from its environment. The transition relation $T \subseteq S \times E \times S$ is defined by the SCR tables and the **NAT** relation of *Spec*. If the system is in state $s \in S$ and input event $e \in E$ is triggered, *T* indicates how to construct the new system state s' (the system response to e). Due to the constraints imposed on SCR tables, *T* is *deterministic*, ie, given a source state s and an event e, SCR tables and **NAT** constraints deterministically define s' = T(s, e). In addition, *T* is *partial*, since not all the input events are reacted to in all states. Moreover, SCR tables define a dependency relation *D* between entities (*xDy* iff *y* is involved in the table defining *x*), which must be a partial order.

There are some assumptions related to the occurrence of input events in the environment. First, input events are triggered *nondeterministically* in the environment. At any given state, any enabled input event might occur. An event is *enabled* if it is allowed to occur at the current state, according to its definition, and satisfies **NAT**. For instance, assuming that **NAT** states that sensoring intervals guarantee that mWaterPres cannot change more than 10 units in 2 consecutive measurements, @T (mWaterPres>900) is only enabled in states in which $mWaterPres \in [891..900]$ (@T (c) represents the fact that c becomes true in the state, ie, c must be false for the event to be enabled). Second, it is assumed that input events are triggered one at a time. In other words, exactly one input event occurs at each system transition. This is often called the *One-Input Assumption* in the literature [24].

Let us be more precise about the state space of the system. As mentioned before, there are 4 kinds of entities in SCR: mode classes, terms, and monitored and controlled variables. Each entity has an associated datatype, a finite set of values that the entity can take. Function TY is defined to map each entity to its corresponding datatype. In the case of a mode class *m*, TY maps it to $\{M_1, \ldots, M_n\}$, the set of modes it defines. A *states* \in S is a total function mapping each entity *x* to a value in TY(x); s(x) denotes *x*'s value in *s*. Since only finite datatypes are allowed in SCR, S is a finite set. Notice that, as each entity must have a unique value in a given state *s*, each mode class *m* must have a *unique* mode $MD_m(s)$ in *s* (when the system has only one mode class, the subscript *m* in MD_m is dropped). Without loss of generality, it is assumed that every SCR specification *Spec* defines a single mode class. $T_{cSafetyInjection}(mcPressure, tOverriden) =$

(mcPressure = TooLow ∧ tOverriden) if mcPressure = TooLow ∧ ¬tOverriden

FIGURE 2 cSafetyInjection's table function



FIGURE 3 tOverriden's table function

2.1.1 | Tables

Intuitively, each SCR table T_x defines a dependent entity r_x ; when an input event occurs, T_x describes the value of r_x in either the current state or the next state (the latter denoted by rx'). More precisely, if r_1, \ldots, r_k are all the dependencies of r_x (ie, $(r_x, r_j) \in D$ for $1 \le j \le k$), then T_x defines a total function F_x : $TY(r_1) \times \ldots \times TY(r_k) \rightarrow TY(r_x)$, called the *table function* for T_x . Being total functions, the tables ensure that for each state and input event, exactly one successor state exists (notice that the target state can be the same as the source state, when the corresponding table does not prescribe a change in the value of the defined entity). Thus, the whole set of SCR tables in *Spec* describes the transition relation T from Σ_{Spec} , viewing it as a total function by mapping a state *s* to itself when an event is not reacted to.

A condition table T_c defines the value of an entity r_c as a function of the values of other entities in the current state (ie, it does not depend on events). The SCR method requires that T_c guarantees completeness and disjointness [24], implying that in every state $s \in S$, T_c must assign exactly one value to r_c . As an example, consider the condition table in Figure 1C that defines controlled variable cSafetyInjection; this variable depends on mode class mcPressure and term toverriden, and its table function $T_{cSafetyInjection}$ is as shown in Figure 2.

An event table T_e defines an entity r_e in terms of events. T_e then typically must consider both "old" (previous state) and "new" (current state) values of entities that r_e depends on. Software cost reduction requires that T_e guarantees *disjointness*, enforcing that 2 different table rows cannot simultaneously be satisfied. Also, according to SCR semantics, different rows must yield different values for r_e . Finally, if no event considered by T_e takes place (in the circumstances that T_e expects), then T_e maintains the same value of r_e in the next state (ie, $re' = r_e$). As an example, consider the event table of Figure 1B, defining term toverriden. This term depends on the values of mBlock, mBlock', mReset, mReset', mcPressure, mcPressure', and toverriden, and the table function $T_{toverriden}$ is as shown in Figure 3.

A mode transition table T_m is a particular case of an event table, defining how the system transitions within modes of a mode class r_m when events occur. Thus, the table function F_m for T_m is defined similarly to event tables. In addition to the conditions imposed on event tables, T_m has to meet a *reachability* condition ensuring that all modes in $TY(r_m)$ can be reached from its prescribed initial mode.

2.1.2 | Executions, reachable states, and the verification of invariant properties

Let $\Sigma_{Spec} = (S, S_0, E, T)$ be *Spec*'s associated LTS. For set $F \subseteq E$, F^* (resp, F^+) is defined to be the set of all sequences (resp, nonempty sequences) of events in *F*. The following notation is introduced. For every $e \in F$ and $es \in F^*$, $e \cdot es$ is the sequence resulting from prepending *e* to the beginning of *es*, #*es* is the length of *es*, and $es \uparrow i$ is the sequence containing the first *i* elements of *es*. For states $s, s' \in S$, and event $e \in F, s \stackrel{e}{\to} s'$ denotes T(s, e) = s'. Furthermore, for monitored variable $mv, s \stackrel{mv}{\to} s'$ denotes that there exists an input event *e* modifying mv ($e \in mv$) such that $s \stackrel{e}{\to} s'$. The definition of \Rightarrow is lifted to sequences of events in the usual way: $s \stackrel{\lambda}{\to} s'$ iff s = s' (λ represents the empty sequence), and $s \stackrel{ees}{\to} s'$ iff there exists a state s'' such that $s \stackrel{e}{\to} s'$. In addition, $s \stackrel{F^*}{\to} s'$ (resp, $s \stackrel{F^*}{\to} s'$) stands for $\exists es \in F^* \mid s \stackrel{es}{\to} s'$ (resp, $\exists es \in F^+ \mid s \stackrel{es}{\to} s'$). Hence, for monitored variable $mv, s \stackrel{mv}{\to} s'$ indicates that there exists a nonempty sequence of events that modify monitored variable mv that makes the system transition from *s* to *s'*.

An execution of Σ_{Spec} is a sequence $es \in E^*$ of input events, starting at an initial state $s_0 \in S_0$. Given an execution σ , # σ is the number of states in σ . Also, σ .*i* yields σ 's ith state, for $0 \le i < \#\sigma$, ie, if $s_0 \stackrel{es \uparrow i}{\twoheadrightarrow} s_i$, then σ .*i* = s_i .

The set $Reach(\Sigma_{Spec})$ of reachable states of Σ_{Spec} is defined as the ending states of executions: $Reach(\Sigma_{Spec}) = \{s \mid \exists s_0 \in S_0.s_0 \xrightarrow{E^*} s\}$.

An invariant property is a predicate P over S that holds in every $s \in Reach(\Sigma_{Spec})$. A transition property is a predicate P_T over $S \times S$ that must be true in every pair (s, s') of consecutive reachable states, ie, states such that there exists an execution σ and value *i* such that $\sigma . i = s$ and $\sigma . (i + 1) = s'$.

A traditional way for verifying that an invariant property *P* holds in Σ_{Spec} is to prove that the set $Reach(\Sigma_{Spec})$ does not intersect with the set of states satisfying $\neg P$. Notice that proving that any overapproximation (superset) of $Reach(\Sigma_{Spec})$ does not intersect with $\neg P$ also suffices to prove *P* valid in Σ_{Spec} . As feasible transitions only lead to states in $Reach(\Sigma_{Spec})$, then proving a transition property P_T valid can be done by proving that no transition executed from states satisfying $Reach(\Sigma_{Spec})$, or any overapproximation of it, satisfies $\neg P_T$. The computation of overapproximations is the core of abstract interpretation based approaches for verification, like the work presented in this paper.

2.2 | Abstraction based analysis for SCR and the numerical variables problem

Instead of directly dealing with the verification of a reachability property on a potentially very large concrete LTS, abstraction-based analyses propose to do so on an *abstract* state space, to increase scalability. That is, given an LTS $S = (S, \Sigma, \rightarrow)$, an abstraction-based approach proposes considering *regions*, ie, abstract states that represent sets of states from *S*, and abstract transitions that overapproximate the \rightarrow transitions between the states constituting the regions. More precisely, a *region structure* for LTS *S* is a structure $\mathcal{R} = (\mathcal{R}, \bot, \sqcup, \sqcap, \square, pre, post, [.])$, consisting of a set *R* of regions, where each region *r* represents a set $[r]^*$ of states of *S*; \bot represents the empty set of states, $r \sqcup r'$ and $r \sqcap r'$ are the union and intersection operators of [r] and [r'], respectively; *pre*(*r*, *l*) and *post*(*r*, *l*) are the weakest precondition and strongest postcondition operators with respect to labels (*pre*(*r*, *l*) returns the largest region such that, from all its states and traversing arcs labelled by *l* one arrives at states in *r*; *post*(*r*, *l*) returns the largest set of states in *r* through transitions labelled by *l*), respectively. An abstraction structure $\mathcal{A} = (\mathcal{R}, pre^{\mathcal{A}}, post^{\mathcal{A}}, \trianglelefteq)$ for an LTS *S* complements a region structure \mathcal{R} for *S* with abstract preoperators and postoperators *pre*^{\mathcal{A}} and *post*^{\mathcal{A}}, and a precision preorder \trianglelefteq , such that *pre*(*r*, *l*), *post*(*r*, *l*) (ie, abstract transitions overapproximate concrete transitions between sets of states), assuming that $r \subseteq r'$ denotes $[r] \subseteq [r']$. Moreover, *pre*^{\mathcal{A}} and post^{\mathcal{A}} must be monotonic with respect to $(\trianglelefteq \cap \subseteq)$, ie, the precision preorder \trianglelefteq intuitively indicates how close the abstract preoperators and postoperators are to the concrete ones, for given regions.

The above described general abstraction setting can be instantiated in various ways, in particular, through an effective one known as *predicate abstraction*. In predicate abstraction, regions are characterized by sets of state properties called *support predicates*, and the concretization is simply the set of states satisfying the corresponding predicates. More precisely, if *P* is a set of predicates over *S* (ie, for every $p \in P$, $[p] \subseteq S$), an abstraction structure $A_p(S) = (\mathcal{R}_p(S), pre^{A_p}, post^{A_p}, \triangleleft_p)$ can be defined as follows:

- $\mathcal{R}_{P}(S) = (R, \bot, \sqcup, \sqcap, pre, post, [.])$, where the regions in R are pairs (φ, Γ) , with $\Gamma \subseteq P$ being a finite set of (local) support predicates, and φ is a Boolean formula over the predicates of Γ . The remaining elements of $\mathcal{R}_{P}(S)$ are defined as follows: $\bot = (false, \emptyset); (\varphi, \Gamma) \sqcup (\varphi', \Gamma') = (\varphi \lor \varphi', \Gamma \cup \Gamma'); (\varphi, \Gamma) \sqcap (\varphi', \Gamma') = (\varphi \lor \varphi', \Gamma \cup \Gamma'); pre((\varphi, \Gamma), I) = (\varphi_{I}^{pre}, \Gamma_{Is})$, where φ_{I}^{pre} is the weakest precondition of φ with respect to I and Γ_{Is} is the least superset of Γ , which contains all predicates in φ_{I}^{pre} . Operator post is defined in a similar way. The concretization $[(\varphi, \Gamma)]$ of (φ, Γ) is defined as $[\varphi]$ (the set of states satisfying φ).
- The abstract operator $post^{A_p}$ is defined as follows: let (φ, Γ) be a region with $\varphi = \varphi_1 \vee \cdots \vee \varphi_k$ in disjunctive normal form (DNF) (with support predicates as atomic formulas), and *l* be a label. $post^{A_p}((\varphi, \Gamma), l)$ is the disjunction $\psi_1 \vee \psi_2 \vee \cdots \vee \psi_k$, where each ψ_i is a conjunction of all literals γ appearing positively or negatively in Γ and such that $\varphi_i \Rightarrow pre(\gamma, l)$. The operator pre^{A_p} is defined in a similar way.
- \trianglelefteq is defined in the following way: $(\varphi, \Gamma) \trianglelefteq (\varphi', \Gamma')$ iff $\Gamma \supseteq \Gamma'$.

An important fact about abstraction-based analyses, including predicate abstraction ones, is that the process is sound but incomplete with respect to unreachability. That is, if a state is determined unreachable in the abstract state space, it is guaranteed that it is unreachable in the concrete state space; but a state may be reachable in the abstract state space while being unreachable in the concrete state space. This fact leads to possibly having *spurious* counterexamples, ie, abstract counterexamples that cannot be "concretized" (reproduced in the concrete state space). These spurious counterexamples can be removed by *refining* the abstraction, adding appropriate abstraction predicates that make such counterexamples cease, making the abstraction closer to the concrete state space. These new abstraction predicates can actually be computed automatically from spurious counterexamples, eg, via interpolation, leading to automated CEGAR. Of course, the larger the set of abstraction predicates, the more concrete the abstract state space, and the more expensive the analysis becomes, so it is important to maintain the set of abstraction predicates small. Notice that the above characterization of predicate abstraction, called *lazy predicate abstraction* and introduced in Henzinger et al. [22], allows it to maintain abstraction predicates *local* to the regions, thus allowing one to refine only parts of the abstract state space, as required, during a CEGAR process.

For illustration purposes, let us consider the following simple analysis scenario. Suppose that one wants to check whether mode Permitted is reachable in the SIS specification or not, starting from a particular initial state in which mcPressure = TooLowAmWaterPres = 14. The initial abstraction will have a single abstraction predicate, namely, ϕ_0 : mcPressure=Permitted, and the abstract state space is as shown in Figure 4A. A first abstract trace reaching mode Permitted is shown in Figure 4B, which is clearly spurious, since according to NAT, an input event can increase mWaterPres in at most 10 units at a time. In this case, the abstraction may be refined by introducing a new abstraction predicate. Many approaches have been proposed to (automatically) suggest such predicates. In the present case, when using an interpolation-based approach implemented on the MathSAT tool, the first abstraction predicate that is added to remove the spurious counterexample is mWaterPres <= 24, which leads to the refined abstraction in Figure 4C. Now, for the refined abstraction, a new spurious counterexample is obtained, shown in Figure 4D. Clearly, since at least 89 input events modifying mWaterPres = i, with $i \in \{24, 34, 44, \dots, 894\}$ before obtaining a (minimal) concretizable abstract counterexample, thus proving the reachability of mode Permitted.

Since the size of the abstract model constructed in any predicate abstraction-based approach grows exponentially with respect to the number of abstraction predicates [27], requiring 88 abstraction predicates makes this simple analysis scenario rather difficult. Notice how the restrictions



FIGURE 4 A simple predicate abstraction and abstract counterexamples for the safety injection system specification



FIGURE 5 A simple example illustrating the difference between lazy abstraction and predicate abstraction

imposed by NAT affect the number of abstraction predicates required to produce concretizable abstract counterexamples; for instance, if NAT asserts that mWaterPres can change in at most 5 units in 2 consecutive measures, then the previous simple abstraction predicate-based analysis will require 176 abstraction predicates. Clearly, numerical monitored variables with large domains that vary in small leaps (small compared to the size of the domain) are problematic for abstraction-based approaches. Since monitored variables with these characteristics appear frequently in SCR specifications, as acknowledged by cases reported in the literature [17, 18, 28].

Let us now elaborate on the importance of a *lazy* abstraction approach, in contrast with a standard predicate abstraction mechanism. Consider the abstract state transition representation of the safety injection example, shown in Figure 5A. This abstract transition system corresponds to an abstraction built from only 2 abstraction predicates, namely, mcPressure = TooLow and mWaterPres = 14, similar to the example used previously in this section; solid arrows correspond to valid abstract state transitions triggered by changes in the water pressure, while dotted lines indicate infeasible transitions that had to be checked in the construction of the abstract model. Suppose that, while trying to concretize an abstract counterexample reaching state mcPressure != TooLowAmWaterPres != 14 in 2 steps, the abstraction predicate mWaterPres <= 24 is discovered. A lazy abstraction approach would introduce this new predicate only in states in which mcPressure != TooLow (the mode where the abstract trace failed to be concretized), leading to a new abstract transition system, shown in Figure 5B. In this abstract transition system, infeasible states that need to be checked for feasibility are crossed, and again valid and infeasible transitions are depicted with solid and dotted arrows, respectively. On the other hand, if a standard predicate abstraction approach is used, then the new abstraction predicate will be used in *all* states, leading to more states and more detailed transitions, as shown in Figure 5C. Notice how, even for this very small example, the number of states and transitions that need to be checked for feasibility increases significantly.

Lazy abstraction, originally introduced by Henzinger et al. [22], has proved to have an important impact in abstraction-based verification tools. This is acknowledged by the effectiveness of tools like BLAST [29] and the increased scalability observed in various applications of the concept of lazy abstraction [30–34].

3 | LPA FOR SCR

The end of the previous section motivates the approach that is introduced here, to analyse SCR requirements specifications via (lazy) predicate abstraction. Given a specification *Spec*, and some invariant property ϕ to verify on *Spec*, the approach starts by disregarding the **NAT** constraints in it, obtaining a *relaxed* specification *RSpec*. Then, an LPA is performed, to attempt to verify ϕ on *RSpec*; since *RSpec* is weaker than *Spec*, the satisfaction of ϕ on *RSpec* implies its satisfaction on *Spec*. The LPA on *RSpec* is, in essence, a traditional lazy abstraction with automated CEGAR, tailored to exploit specific characteristics of SCR specifications.

Notice that the approach consists of 2 abstraction steps. The first is the relaxation resulting from the removal of the **NAT** constraints; the second is the LPA. One may then obtain 3 kinds of counterexamples: (1) spurious counterexamples resulting from the LPA, ie, executions that are feasible in the abstract model but infeasible in *RSpec*; (2) spurious counterexamples resulting from the removal of **NAT** constraints, ie, executions that are both feasible in the abstract model and in *RSpec*, but are infeasible in *Spec*; and (3) real counterexamples, ie, abstract counterexamples that can be reproduced both in *Spec* and thus constitute actual violations to the property ϕ . Different approaches are used to deal with the first two, which are described later on in the paper.

Since, despite its importance, the first abstraction is rather straightforward, let the current focus be on the second abstraction, the LPA tailored to SCR specifications. This abstraction, whose preliminary version was originally introduced by Degiovanni et al. [23], maintains the same precision as the concrete specification as far as the *modes* are concerned, while having a degree of precision in all other respects that may vary for different modes, ie, is *lazy* (in the sense of the term as used by Henzinger et al. [22]) with respect to modes.

Let us provide a high level overview of how this abstraction process works, with references to the rest of the section, where further technical details are provided. The abstraction process can be captured as an algorithm, LPA-SCR, that takes as inputs an SCR specification *Spec* and an invariant property φ_{prop} that one wants to prove true in *Spec* (alternatively, reachability analyses like those required for test generation can be performed with exactly the same mechanism). LPA-SCR attempts to construct an abstract reachability tree for *Spec*, by using the abstract transition relation *post*⁴ to expand forwardly the successors of already created abstract states. During the construction of the tree, LPA-SCR checks that any newly created abstract state satisfies φ_{prop} . If LPA-SCR constructs the whole abstract reachability tree with all states satisfying φ_{prop} , then it has computed an overapproximation of the set of reachable states of *Spec* that in turn constitutes a proof that φ_{prop} holds in *Spec*. However, LPA-SCR might find abstract states where φ_{prop} does not hold. An abstract execution (a path in the abstract reachability tree) σ_A ending in a state where φ_{prop} does not hold constitutes a *decision* procedure (MathSAT) to figure out if σ_A encodes a real (concrete) execution for σ_A , σ_A is determined to be a *spurious counterexample*. In this case, LPA-SCR uses an interpolation-based process, further discussed in Section 3.5, to extract support predicates from σ_A that refine the current abstract reachability tree and get rid of σ_A . After the refinement, LPA-SCR resumes the construction of the abstract reachability tree trying to verify φ_{prop} in *Spec*. LPA-SCR falls in the well-known category of CEGAR algorithms, that is, it realizes an abstract reachability tree and get rid of σ_A using the information encoded in spurious counterexamples.

The rest of this section is devoted to the technical details of the abstraction process, including a precise definition for algorithm LPA-SCR. This abstraction is better introduced if the SCR semantics is provided in a different way, modularizing the global transition relation of a specification with respect to modes and input events, as presented below. A fixed SCR specification *Spec* is assumed, with mode class $M = \{m_1, \ldots, m_k\}$, whose associated LTS is referred to as $\Sigma_{\text{Spec}} = (S, S_0, E, T)$.

3.1 | Mode explicit SCR semantics

The mode explicit semantics for SCR defined here splits each input event e = (mv, v, v') into several input events with fixed modes for the current and next states when e is triggered. In this way, in the mode explicit semantics, after triggering an event in the current state, it is known exactly what the mode of the next state will be. The reachable states of the mode explicit and the traditional semantics are guaranteed to be the same (Theorem 3.3). Hence, an invariant property is satisfied in the mode explicit semantics of *Spec* if and only if it is satisfied in the original semantics; then the abstraction algorithm referring to the mode explicit semantics can be safely implemented.

A mode-explicit input event is a triple $e_m = (m, e, m')$, where m, m' are modes and e = (mv, v, v') is an input event in the original semantics. Triggering mode-explicit event e_m takes the system from state s to s' if MD(s) = m (the mode of s is m), MD(s') = m' (the mode of s' is m'), s(mv) = v and s'(mv) = v'. The set of *all* mode-explicit input events is denoted by $E^{M\times M}$; by considering all possible combinations of events with source/target modes, it is guaranteed that no behaviours are lost with respect to the original semantics. The expression (m, mv, m') denotes the set of mode-explicit input events modifying monitored variable mv that transition from a state in mode m to a state in mode m', ie, $(m, mv, m') = \{(m, e, m') \in E^{M\times M} | \exists (v, v') \in \gamma_{mv} \cdot e = (mv, v, v') \in E\}$.

The *mode-explicit semantics* for SCR is given by the LTS $\Sigma_{Spec}^{M\times M} = (S, S_0, E^{M\times M}, T)$. Notice that here, the set of input events $E^{M\times M}$ is used in the definition of the LTS, instead of *E* as in the original semantics. For each input event $e_m \in \Sigma_{Spec}^{M\times M}$, $T(s, e_m) = s'$ is denoted by $s \stackrel{e_m}{\rightsquigarrow} s'$. Also, for monitored variable $mv, s \stackrel{mv}{\rightsquigarrow} s'$ indicates that there exists a mode-explicit input event $e_m \in (MD(s), mv, MD(s'))$ such that $s \stackrel{e_m}{\rightsquigarrow} s'$.

The following results prove that $\sum_{S_{pec}}^{M\times M}$ and $\sum_{S_{pec}}$ produce the same sets of reachable states.

Lemma 3.1. For every execution σ of $\Sigma_{Spec} = (S, S_0, E, T)$, there exists an execution σ_m of $\Sigma_{Spec}^{M \times M} = (S, S_0, E^{M \times M}, T)$ such that $\#\sigma = \#\sigma_m$, and $\sigma.i = \sigma_m.i$ for each $0 \le i \le \#\sigma + 1$.

Proof. The proof proceeds by induction on the length of σ . For the base case, if $\#\sigma = 0$, $\sigma : s_0 \stackrel{\lambda}{\twoheadrightarrow} s_0$, and the mode-explicit execution satisfying the conditions of this lemma is $\sigma_m : s_0 \stackrel{\lambda}{\twoheadrightarrow} s_0$. For the inductive case, assume that $\sigma : s_0 \stackrel{es}{\twoheadrightarrow} s$ with $es \in E^*$, $\#\sigma = k$, and that $s \stackrel{e}{\twoheadrightarrow} s'$, where $e = (mv, v_1, v_2)$. By the inductive hypothesis, there exists $\sigma_m : s_0 \stackrel{es}{\twoheadrightarrow} s$, for some event sequence $es_m \in (E^{M \times M})^*$, such that $\#\sigma = \#\sigma_m$, and $\sigma.i = \sigma_m.i$ for each $0 \le i \le \#\sigma + 1$. Let us call $m_1 = MD(s)$, $m_2 = MD(s')$. Then, event $e_m = (m_1, e, m_2) \in E^{M \times M}$ is enabled in s and s $\stackrel{e}{\twoheadrightarrow} s'$, completing the proof.

Lemma 3.2. For every execution σ_m of $\Sigma_{Spec}^{M \times M} = (S, S_0, E^{M \times M}, T)$, there exists an execution σ of $\Sigma_{Spec} = (S, S_0, E, T)$ such that $\#\sigma_m = \#\sigma$, and $\sigma_m \cdot i = \sigma \cdot i$ for each $0 \le i \le \#\sigma_m + 1$.

Proof. Again, the proof proceeds by induction on $\#\sigma$. The base case can be proved as in Lemma 3.1. For the inductive case, assume that σ_m : $s_0 \stackrel{e_{m}}{\twoheadrightarrow} s$ with $e_{s_m} \in (E^{M \times M})^*$, $\#\sigma_m = k$, and that $s \stackrel{e_{m}}{\twoheadrightarrow} s'$, where $e_m = (m_1, e, m_2)$, $m_1 = MD(s)$, $m_2 = MD(s')$, $e = (mv, v_1, v_2)$. By the inductive hypothesis, there exists σ : $s_0 \stackrel{e_{m}}{\twoheadrightarrow} s$, for some event sequence $e_s \in E^*$, such that $\#\sigma_m = \#\sigma$, and $\sigma_m \cdot i = \sigma \cdot i$ for each $0 \le i \le \#\sigma + 1$. But clearly $s \stackrel{e}{\twoheadrightarrow} s'$ for $e = (mv, v_1, v_2) \in E$, and the Lemma holds.

Theorem 3.3. For every SCR specification Spec, $Reach(\Sigma_{Spec}^{M \times M}) = Reach(\Sigma_{Spec})$.

Proof. Follows from Lemmas 3.1 and 3.2 and the definition of Reach.

3.2 | Modularizing the transition relation

To improve the abstraction algorithm, the transition function T of $\Sigma_{Spec}^{M\times M}$ is modularized. That is, a set of simpler functions T_1, \ldots, T_k is derived from T that when combined are equivalent to T, but that can be used separately in the process of abstraction, allowing for an improvement in analysis performance. Two different modularizations are proposed, described below.

3.2.1 | Event-based modularization

Notice that if a monitored variable mv is changed in a transition, by the One-Input assumption, all the other monitored variables cannot change during the same transition. Furthermore, events that do not depend on mv are not triggered in this situation (formally, event *e* is said to depend on mv if *e* refers to some entity *n* such that *n* is mv or $(n, mv) \in D_{new}+$). Thus, for each monitored variable mv, a simplified version T_{mv} of the transition

function *T* is computed by removing formulas of the table functions coming from events that do not depend on mv. So, when an event $e \in mv$ is triggered, T_{mv} is equivalent to *T*, ie, $T_{mv}(s, e) = T(s, e)$ for any state $s \in S$. Notice that this modularization step can only be performed with event and mode transition tables, as condition tables are not described in terms of events.

As an example, recall table functions $F_{tOverriden}$ and $F_{mcPressure}$, defining term tOverriden and mode class mcPressure, respectively (Section 2.1). The modularization of $F_{tOverriden}$ and $F_{mcPressure}$ with respect to events mReset is as follows:

$$\label{eq:coverriden} \begin{split} \text{tOverriden'} = \\ F_{\text{toverriden}_{\text{mReset}}}(\text{mBlock}, \text{mReset}, \text{mcPressure}, \text{tOverriden}, \text{mBlock'}, \text{mReset'}, \text{mcPressure'}) = \\ \begin{cases} false & \text{if (mcPressure = TooLow \land \text{mReset'} = On \land \text{mReset} = Off) \lor \\ & (\text{mcPressure = Permitted} \land \text{mReset'} = On \land \text{mReset} = Off) \lor \\ & \text{toverriden} & \text{otherwise} \end{split}$$

 $mcPressure' = F_{mcPressure_mReser}$ (mWaterPres, mcPressure, mWaterPres') = { mcPressure true

Notice that the only event in the table defining toverriden (Figure 1B) that depends on mReset is @T (mReset = On) (second row second column of the table). Thus, this is the only event considered in the modularized table function $F_{toverriden_{mReset}}$. On the other hand, none of the events in the mode transition table defining mcPressure (Figure 1A) depend on mReset (mReset cannot trigger a mode change). Hence, $F_{mcPressure_{mReset}}$ always returns the original value of mcPressure.

Considering that mv_1, \ldots, mv_j are the monitored variables of *Spec*, the abstraction algorithm first modularizes T as described above, obtaining $T_{mv_1}, \ldots, T_{mv_j}$. It is important to remark that this process is completely automated, as the dependencies (relation D_{new} + and the dependency relation for events) can be automatically determined from a syntactic analysis of *Spec* [35]. Then, when computing the abstract successors for an abstract state with respect to event T_{mv_i} ($1 \le i \le j$), the algorithm selects the corresponding T_{mv_i} to be applied. As evidenced by the example above, the modularized transition functions can be encoded more succinctly as logic formulas than the whole transformation function *T*. This presents 2 advantages for the abstraction algorithm: The computation of abstract successors becomes faster (as it calls a decision procedure with a smaller formula), and the precision of the computed abstract model is increased, as in practice, the interpolation-based refinement procedure (Section 3.5) computes stronger interpolants with the reduced formulas (Section 5).

3.2.2 | Mode-based modularization

The mode explicit semantics enables the abstraction algorithm to perform a different modularization of the transition relation, exploiting the fact that, when a mode explicit input event is triggered, it is known exactly which modes participate in the previous and next system states. For every pair m, m' of modes, a simpler transition relation $T_{m,m'}$ will be derived from T by removing all the events and conditions that cannot occur when transitioning from m to m'. That is, from a pair m and m' of source and target modes, $T_{m,m'}$ is constructed by discarding from T all rows that involve events that do not start at m, or that do not transition to m'. As for the previous modularization, the abstraction algorithm will use $T_{m,m'}$ to compute the abstract successors when an event $e = (m, \cdot, m')$ is triggered (e modifies any monitored variable, but the modes of the previous and next states are m and m', respectively). Consider for instance that event $e = (High, \cdot, High)$ is triggered, that is, being in mode High, a change is produced by event e but the system stays in mode High. $F_{cSafetyInjection_{High, High}}$ and $F_{toverriden_{High, High}}$ for table functions $F_{cSafetyInjection}$ defining toverriden (Figure 1B) are as follows:

$$\label{eq:csafetyInjection} \begin{split} & \text{cSafetyInjection} = \\ F_{\text{cSafetyInjection}_{\text{High},\text{High}}}(\text{mcPressure, tOverriden}) = \left\{ \begin{array}{ll} \text{Off} & \text{if mcPressure} = \text{High} \\ \text{tOverriden'} = \\ F_{\text{tOverriden}_{\text{High},\text{High}}}(\text{mBlock}, \text{mReset}, \text{mcPressure}, \text{tOverriden}, \text{mBlock'}, \text{mReset'}, \text{mcPressure'}) = \\ \left\{ \text{tOverriden} & true \\ \end{matrix} \right. \end{split}$$

Notice how in these cases, only formulas with source mode High are kept. Observe in particular that in $F_{tOverriden}$, there is only one formula with source mode High, which consists of the event @F(mcPressure = High). However, @F(mcPressure=High) is clearly not enabled when the target mode is High, thus $F_{tOverriden,High}$ always returns the old value of tOverriden.

Mode-based and event-based modularizations can be combined to produce smaller parts of the transition relation T, "slicing" it in relation to modes and events of interest. Indeed, the abstraction used in this paper applies a modularization by events first and then the mode-based modularization. That is, for each input event e = (m, mv, m'), a transition relation $T_{m,mv,m'}$ is obtained by first computing T_{mv} as in the previous section and then applying the mode-based modularization to T_{mv} .

3.3 | The abstraction setting

As mentioned previously, the abstraction algorithm presented in this paper is based on the LPA framework presented in Henzinger et al. [22]. Lazy abstraction allows different degrees of precision in different parts of the abstract model (ie, different sets of support predicates), as opposed to previous predicate abstraction approaches where abstraction predicates were considered global [27]. Since LPA was originally devised to analyse C programs [22], it localizes support predicates to *program locations*. Thus, to construct an abstract state with location *I*, lazy abstraction only considers the support predicates corresponding to *I*. In addition, the abstraction refinement algorithm of lazy abstraction is defined in such a way that newly discovered abstraction predicates are added only to the program locations where they are necessary.

In SCR specifications, mode classes define a partition of the set of system's states, and one introduces modes to split the system's state when the system needs to react differently to events according to the mode of operation. Therefore, it is proposed here to keep the same set of abstraction predicates for all states that share the same mode, in an SCR specification. The abstraction refinement procedure for the algorithm is also designed to add discovered predicates "locally," in the sense that they will refine all states within the same mode.

Following Henzinger et al. [22], the abstract domain used by the lazy abstraction approach algorithm is defined as follows, using *LIA* formulas (the language of the quantifier free linear integer arithmetic) to characterize abstract states. *LIA* is chosen because it is decidable and because there exists an interpolation algorithm for *LIA* that is used for the abstraction refinement procedure (Section 3.5).

Let $\sum_{S_{pec}}^{M \times M}$ be the mode explicit LTS associated with Spec. An abstract state of the abstraction approach presented in this paper will be defined as a set of mode explicit atomic regions, defined as follows.

Definition 3.1. A mode explicit atomic region is a tuple $a = (m, \varphi, \Pi)$ composed of a mode $m \in M$, a function mapping modes to support (abstraction) predicates $\Pi : M \mapsto 2^{L/A}$, and a Boolean formula φ over the predicates of $\Pi(m)$.

Intuitively, region $a = (m, \varphi, \Pi)$ represents the set of states with mode *m* that satisfy φ , denoted with the region's concretization [*a*]. Notice that the modes in abstract regions are maintained explicit. The abstraction approach performs an abstraction process that is *precise* with respect to modes and allows for different degrees of precision for states with different modes.

In addition, for any mode explicit atomic regions (m_1, φ_1, Π_1) and (m_2, φ_2, Π_2) , the following operations are defined:

- $[(m_1, \varphi_1, \Pi_1)] = [m_1 \land \varphi_1]$, where [f], for $f \in LIA$, denotes the set of states described by f.
- $(m_1, \varphi_1, \Pi_1) \sqcup (m_2, \varphi_2, \Pi_2) = (m_1, \varphi_1 \lor \varphi_2, \lambda m. \Pi_1(m) \cup \Pi_2(m))$ if $m_1 = m_2; \bot$ otherwise.
- $(m_1, \varphi_1, \Pi_1) \sqcap (m_2, \varphi_2, \Pi_2) = (m_1, \varphi_1 \land \varphi_2, \lambda m. \Pi_1(m) \cup \Pi_2(m))$ if $m_1 = m_2; \bot$ otherwise.
- If $e_m = (m_1, mv, m1')$, $post((m_1, \varphi_1, \Pi_1), e_m) = (m'_1, \varphi_{e_m}^{post}, \Pi_{ls})$, where $\varphi_{e_m}^{post}$ is the strongest postcondition of φ_1 with respect to event e_m , and $\Pi_{ls}(m1')$ is the least superset of $\Pi(m1')$ which contains all the predicates in $\varphi_{e_m}^{post}$. Otherwise, if $e_m = (m_2, \cdot, \cdot)$ and $m_1 \neq m_2$, then $post((m_1, \varphi_1, \Pi_1), e_m) = \bot$.

Notice that the strongest postcondition $\varphi_{e_m}^{post}$ can be defined by the following LIA formula:

$$\begin{split} \varphi_{e_m}^{\text{post}} &= \varphi_1 \wedge e_m \wedge T_{m_1, \text{mv}, m'_1} \\ &= \varphi_1 \wedge (m_1 \wedge \text{mv}' \neq \text{mv} \wedge \gamma_{\text{mv}}(\text{mv}, \text{mv}') \wedge m'_1) \wedge T_{m_1, \text{mv}, m'_1} \end{split}$$

where primed variables denote the value of entities in the state returned by *post*, and the predicate $\gamma_{mv}(mv, mv')$ indicates that monitored variable mv changed satisfying the **NAT** constraints.

Definition 3.2. Let A be the set of mode explicit atomic regions. A mode explicit region structure $\mathcal{R} = (\mathcal{R}, \perp, \sqcup, \sqcap, \mathsf{post}, [.])$ for $\sum_{\mathsf{Suec}}^{\mathsf{Mxed}}$ consists of

- $R \subseteq 2^A$. That is, each mode explicit region $r \in R$ is a set of mode explicit atomic regions.
- $[r] = \bigcup_{a \in r} [a]$, for all $r \in R$.
- For $r_1, r_2 \in R$, the following definitions are considered:
 - $r_1 \sqcup r_2 = r_1 \cup r_2 \cup \{a_1 \sqcup a_2 \mid a_1 \in r_1, a_2 \in r_2\},\$
 - $r_1 \sqcap r_2 = \{a_1 \sqcap a_2 | a_1 \in r_1, a_2 \in r_2\},\$
 - $post(r_1, e_m) = \bigcup_{a \in r_1} post(a, e_m).$

R above is the algorithm's abstract domain. Notice that it is very similar to the abstract domain of the LPA for C programs presented by Jhala [36]. The main differences are that, in the algorithm as presented in this paper, program locations are replaced by modes of the specification in atomic regions, and the call stack is eliminated, as there are no procedure abstractions in SCR.

To construct abstract states, the following abstraction function is used.

Definition 3.3. The abstraction function α : LIA $\times 2^{\text{LIA}} \mapsto$ LIA is defined by

$$\alpha(\varphi, \mathsf{P}) = \bigwedge_{p \in \mathsf{P}} \{p | \varphi \to p\} \land \bigwedge_{p \in \mathsf{P}} \{\neg p | \varphi \to \neg p\}$$

Intuitively, α takes a formula φ and a set of abstraction predicates *P* as inputs and returns a formula representing the *predicate abstraction* [27] of φ with respect to *P*. Formula $\alpha(\varphi, P)$ always returns a (*LIA*) predicate involving a conjunction of predicates and negations of predicates from *P*. Notice that $\alpha(\varphi, P)$ is an abstraction of the original φ , in the sense that the states it represents is a superset of the states described by φ . $\alpha(\varphi, P)$ is said to overapproximate φ , ie, $[\varphi] \subseteq [\alpha(\varphi, P)]$.

To implement α , one needs to be able to decide whether a predicate $p \in P$ or its negation are implied by φ . The MathSAT SMT solver [37] is an example of a tool that is suitable for this task.

The abstraction structure that is the basis of the present approach can now be introduced.

Definition 3.4. A mode explicit abstraction structure is a tuple $\mathcal{A} = (\mathcal{R}, \text{post}^{\mathcal{A}}, \trianglelefteq)$, where

- \mathcal{R} is a mode explicit region structure,
- For $r \in R$ and mode explicit input event $e_m = (m_1, mv, m_2)$, the abstract strongest postcondition operator is defined by $post^A(r, e_m) = \bigcup_{a \in r} post^A(a, e_m)$. For an atomic mode explicit region $a = (m, \varphi, \Pi)$, $post^A$ is defined by
 - a. $post^{\mathcal{A}}((m, \varphi, \Pi), e_m) = (m_2, \alpha(\varphi_{e_m}^{post}, \Pi(m_2)), \Pi) \text{ if } m = m_1.$
 - b. $post^{\mathcal{A}}((m, \varphi, \Pi), e_m) = \perp \text{ if } m \neq m_1.$
- For region $r, r.\Pi$ is defined as $\bigcup_{(\cdot, \cdot, \Pi) \in r} \Pi$. For $r_1, r_2 \in R$ with $\Pi_1 = r_1.\Pi$ and $\Pi_2 = r_2.\Pi$, the precision preorder is defined by $r_1 \leq r_2$ iff $\forall m \in M.\Pi_2(m) \subseteq \Pi_1(m)$

Intuitively, for a mode-explicit event $e_m = (m_1, mv, m_2)$, $post^A((m_1, \varphi, \Pi), e_m)$ returns a region with e_m 's target mode m_2 , and the set of states obtained by abstracting the result of executing the concrete post on φ , with respect to the set of abstraction predicates associated with mode m_2 .

Based on the proof strategy by Henzinger et al. [22], the following theorems guarantee that the above-introduced abstraction of *Spec* characterizes an overapproximation of *Spec*'s behaviours.

Theorem 3.4. For any $r \in R$, $e_m \in E_{M \times M}$, $post(r, e_m) \sqsubseteq post^{\mathcal{A}}(r, e_m)$.

Proof. To prove this result, it has to be proved that $[post(r, e_m)] \subseteq [post^A(r, e_m)]$. Then, if for any mode explicit atomic region $a \in r$, $[post(a, e_m)] \subseteq [post^A(a, e_m)]$, the theorem follows by definition of [.]. Let us prove that $[post(a, e_m)] \subseteq [post^A(a, e_m)]$.

Let $a = (m, \varphi, \Pi)$ and $e_m = (m', mv, m'')$. If $m \neq m'$, by definition, we have $post(a, e_m) = \bot$ and $post^A(a, e_m) = \bot$, and therefore, $[post(a, e_m)] \subseteq [post^A(a, e_m)]$. If m = m', then $[post(a, e_m)] = [(m'', \varphi_{e_m}^{post}, \Pi_{l_s})] = [m'' \land \varphi_{e_m}^{post}]$ and $[post^A(a, e_m)] = [(m'', \alpha(\varphi_{e_m}^{post}, \Pi(m'')), \Pi)] = [m'' \land \alpha(\varphi_{e_m}^{post}, \Pi(m''))]$. Since α is an abstraction function, then $[\varphi_{e_m}^{post}] \subseteq [\alpha(\varphi_{e_m}^{post}, \Pi(m''))]$. Hence, $[m'' \land \varphi_{e_m}^{post}] \subseteq [m'' \land \alpha(\varphi_{e_m}^{post}, \Pi(m''))]$ and the proof is finished. \Box

Theorem 3.5. If $r, r' \in \mathbb{R}$, such that $r \leq r'$, then for any $e_m \in E_{M \times M}$, post^A $(r, e_m) \leq post^A(r', e_m)$.

Proof. Let $\Pi_r = r.\Pi$ and $\Pi_{r'} = r'.\Pi'$ be the mappings from modes to support predicates of regions r and r', respectively. As $r \leq r'$, by definition of \leq , for all mode $m \in M, \Pi_r(m) \subseteq \Pi_{r'}(m)$. By definition of $post^A$, the region $post^A(r, e_m)$ will contain the same mapping of r, ie, Π_r . Similarly, the mapping of region $post^A(r', e_m)$ will be the same of region r', ie, $\Pi_{r'}$. Then, as $\Pi_r(m) \subseteq \Pi_{r'}(m)$, by definition of \leq , it follows that $post^A(r, e_m) \supseteq post^A(r', e_m)$.

Theorem 3.6. If $r, r' \in \mathbb{R}$, such that, $r \sqsubseteq r'$, then for any $e_m \in E_{M \times M}$, $post^A(r, e_m) \sqsubseteq post^A(r', e_m)$.

Proof. Suppose an atomic region $(m, \varphi, \Pi) \in post^{\mathcal{A}}(r, e_m)$. By definition of $post^{\mathcal{A}}$, there must exist an atomic region $a \in r$ such that $post^{\mathcal{A}}(a, e_m) = (m, \varphi, \Pi)$. Because of the hypothesis $r \sqsubseteq r'$, the atomic region a must also belong to region r' (ie, $a \in r'$). Then, $(m, \varphi, \Pi) = post^{\mathcal{A}}(a, e_m) \in post^{\mathcal{A}}(r', e_m)$.

3.4 | SCR abstraction algorithm

The SCR abstraction algorithm just presented, shown in Algorithm 1, is a version of the original LPA put forward by Henzinger et al. [22] tailored to SCR specifications. It uses the mode explicit abstraction structure of definition 3.4, ie, its abstract domain consists of the mode explicit region structures of definition 3.2, and operator *post*^A is used to compute the successors of abstract states (regions). In addition, the present abstraction assumes that the transition relation of *Spec* has been modularized (by modes and events) following the steps given in Section 3.2, before executing the algorithm.

Algorithm 1 SCR abstraction algorithm

1:	function LPA-SCR
2:	$\Pi = \{m_{init} \to \{init\}\} \cup \lambda m. \{\varphi_{prop}\}, \text{ for all } m \in M$
3:	$r_0 = \{(m_{init}, \alpha(init, \Pi(m_{init})), \Pi)\}$
4:	create an unmarked root node r : r_0
5:	while there are unmarked nodes do
6:	pick an unmarked node n : r_n
7:	if there exists $(\cdot, \varphi_n, \cdot) \in r_n$ such that φ_{prop} does not appear positively in φ_n then
8:	the property may not hold at node <i>n</i>
9:	σ_A is the abstract error trace starting at the root <i>r</i> and ending at <i>n</i>
10:	$\sigma_{\mathcal{A}} = r : r_0 \xrightarrow{\sigma} n : r_n$
11:	check if there is a feasible concrete error trace t represented by $\sigma_{\mathcal{A}}$
12:	if infeas., σ_A is spurious, $\Pi' : M \to 2^{LIA}$ are the discovered interpolants
13:	$(feasible, t, \Pi') = solve(\sigma_{\mathcal{A}})$
14:	if feasible then
15:	σ_A contains concrete error trace t
16:	return t
17:	else
18:	σ_A is spurious
19:	let n' : r'_n be the oldest ancestor of n in σ_A such that
20:	there exists $(m'_n, \cdot, \cdot) \in r'_n$ with $\Pi'(m'_n) \neq \emptyset$
21:	let n'' : r''_n be the parent of n' : r'_n in σ_A
22:	refine the abstract reachability tree starting at n''
23:	drop the subtrees of n''
24:	unmark <i>n</i> "
25:	update Π to include the discovered interpolants Π'
26:	$\Pi = \lambda m.(\Pi(m) \cup \Pi'(m))$
27:	else if $r_n \sqsubseteq r'_n$ for some node n' : r'_n marked as uncovered then
28:	n is covered by n'
29:	mark <i>n</i> as covered
30:	else
31:	construct the abstract successors of <i>n</i>
32:	for each $e_m = (m, mv, m')$, such that $m, m' \in M$ and mv is a monitored variable do
33:	$r'_n = post^{\mathcal{A}}(r_n, e_m)$
34:	if $r'_n \neq \bot$ then
35:	create an unmarked node n' : r'_n and an edge n : $r_n \stackrel{e_m}{\rightarrow} n'$: r'_n
36:	mark <i>n</i> as uncovered
37:	return region $\bigsqcup \{ r_u u : r_u \text{ is a node marked as uncovered} \}$

Let us further explain some details of the LPA-SCR algorithm. In this algorithm, a node of the abstract reachability tree is denoted by n : r, where n is the node's name and r the abstract region (definition 3.2) associated with the node. In addition, Π is a function storing the set of abstraction predicates currently associated with each mode. Let *init* be the predicate describing the initial state of *Spec* and assume that m_{init} is the mode of state *init*. In line 2, LPA-SCR initializes Π with φ_{prop} as the only available predicate for each mode (except for m_{init} that additionally includes predicate *init*). Π will grow monotonically throughout the execution, as abstraction predicates will be added to Π each time the refinement algorithm discovers new predicates to get rid of spurious counterexamples. For simplicity, Π is made a global variable in the algorithm (instead of being part of each region), and it is assumed that the operator *post*^A uses Π to compute abstract successors.

Lines 3 and 4 construct the root node r: r_0 of the abstract reachability tree, where r_0 consists of an atomic region with mode m_{init} , predicate $\alpha(init, \Pi(m_{init}))$ (the predicate abstraction of *init* with respect to the predicates in $\Pi(m_{init})$), and (the initial) Π as support predicates.

After the initialization, in the main loop (lines 5-35), LPA-SCR performs an iterative process, where each step consists of either (i) deciding if the abstract counterexample found (a node violating φ_{prop}) represents a concrete counterexample, or the abstract model has to be refined to get rid of this spurious violation, (ii) marking a node of the tree as *covered* due to its region already being computed elsewhere in the tree, or (iii) expanding the abstract reachability tree by constructing the abstract successors of a node. During this process, the algorithm *marks* already visited nodes to avoid

processing them twice. When the abstract successors of a node are built, the node is marked as *uncovered*. Conversely, a node is marked as *covered* when its region has been computed in another part of the tree. When the whole abstract reachability tree has been computed, the regions of the nodes marked as uncovered determine the set of reachable states of the tree, which constitute a proof of the validity of φ_{prop} in *Spec*.

In line 6, the algorithm takes an unmarked node $n : r_n$ and decides to perform (i), (ii), or (iii) above, depending on the characteristics of r_n . In case (i), the condition in line 7 is true, that is, φ_{prop} does not appear positively in r_n 's predicate. In such case, we have an abstract counterexample σ_A starting at the root of the tree and ending at *n* -see line 10. Then, the algorithm needs to invoke the decision procedure with σ_A as input, to find out if there exists a concrete execution violating φ_{prop} encoded in σ_A . This is performed by function solve in line 12 that represents an invocation to the decision procedure (the SMT solver MathSAT). The result of executing solve is a triple (*feasible*, t, Π'). If there exists a concrete execution violating φ_{prop} contained in σ_A , feasible is set to true, and the witness concrete execution stored in variable t (Π' is undefined in this case). Then, as *feasible* is true, LPA-SCR returns the execution t witnessing that φ_{prop} does not hold in Spec (lines 13-15). Otherwise, if σ_A is spurious, solve sets feasible to false and returns in Π' a mapping with the predicates needed to get rid of the spurious execution. As mentioned earlier, the computation of Π' is performed by the interpolation-based refinement algorithm of Section 3.5. If σ_A is spurious, in lines 18 to 19, the algorithm finds out the oldest ancestor n' of n in σ_4 that needs to be refined, that is, an n' such that Π' does not contain any new predicate to add to any of the nodes in the path from the root r to n'. Then, in lines 20-22, LPA-SCR drops the subtrees that must be refined taking into account the newly discovered predicates Π' , that is, the subtrees starting from the parent n'' of n'. In addition, in line 23, n'' is unmarked, so it becomes eligible again for the computation of its abstract successors in a later iteration, but this time including the new set of predicates allowing to discard σ_A . Finally, in line 25, Π is updated to include the newly discovered predicates Π' . Notice that the predicates in Π' are added locally to the modes where they were discovered, whereas in the original lazy abstraction approach they are added locally to the corresponding program locations [22].

If node $n : r_n$ does not violate φ_{prop} , LPA-SCR considers case (ii) above. Thus, in line 26, LPA-SCR checks if there exists another uncovered (marked) node $n' : r'_n$ such that the set of states represented by r'_n includes those represented by r_n (denoted by $r_n \subseteq r'_n$). Notice that this is a very simple syntactic check: If a support predicates p in r'_n is set to true (resp, false), then p should be true (resp, false) in r_n too. When $r_n \subseteq r'_n$, LPA-SCR does not need to continue expanding n, since all of n's successors must be checked to satisfy φ_{prop} in its own part of the reachability tree, and the set of states defined by any successor of n' is included in the set of states defined by some successor of n (more precisely, for any event $e_m \in E_{M \times M}$, $post^A(r_n, e_m)$) has to satisfy φ_{prop} , and $post^A(r_n, e_m) \subseteq post^A(r'_n, e_m)$). In this case, n is said to be *covered* by n', and LPA-SCR marks n (as covered) so it is not picked up again in future iterations.

Finally, when cases (i) and (ii) do not apply, in line 29, LPA-SCR starts the computation of the successors of node $n : r_n$. This corresponds to case (iii) above. Thus, in lines 31-34, LPA-SCR creates an unmarked node $n' : r'_n$ with $r'_n = post^A(r_n, e_m)$ for each event $e_m = (m, mv, m')$, where $m, m' \in M$ and mv is a monitored variable. In addition, it adds an edge to the reachability tree from n to n' (line 34). Then, n is marked as uncovered to indicate that its abstract successors have been computed (line 35).

In the next section, the refinement algorithm implemented by the solve procedure is explained in greater detail.

3.5 | Interpolation-based abstraction refinement

To get rid of spurious counterexamples, LPA-SCR uses an interpolation-based abstraction refinement approach, introduced first for the original lazy abstraction by Henzinger et al. [38]. In this section, the details of how this refinement approach is applied to remove the kind of spurious counterexamples that appear in LPA-SCR are explained. The reader interested in learning more about interpolation is referred to the work of Henzinger et al. [38].

Definition 3.5. Let φ_1, φ_2 be 2 formulas such that their conjunction is unsatisfiable. An *interpolant* for (φ_1, φ_2) is a formula ψ such that (i) φ_1 implies ψ , (ii) $\psi \land \varphi_2$ is unsatisfiable, (iii) ψ only contains variables that appear both in φ_1 and φ_2 .

For some logics (including LIA), interpolants can be extracted automatically from the proof of unsatisfiability of $\varphi_1 \land \varphi_2$, in an efficient way.

Let us now discuss how LPA-SCR uses interpolation to get rid of spurious counterexamples. Assume that σ^A is a spurious counterexample returned by LPA-SCR, and let $\sigma^A = \sigma_1^A : \sigma_2^A$ be a splitting of σ^A into a disjoint prefix σ_1^A and suffix σ_2^A . In addition, let φ_1 (resp, φ_2) be an encoding of prefix (resp, suffix) $\sigma_1^A(\sigma_2^A)$ as a logical formula. Notice that σ^A is unsatisfiable since it is spurious. Hence, $\varphi_1 \land \varphi_2$ is unsatisfiable as well. Thus, an interpolant ψ can be computed for (φ_1, φ_2) . By (i) above, ψ represents an overapproximation of the states obtained by executing prefix σ_1^A (and it is clearly true after the execution of σ_1^A). By (ii), it follows that suffix σ_2^A cannot be executed starting from states satisfying ψ . Therefore, ψ is the abstraction predicate we need to rule out $\sigma_1^A : \sigma_2^A$.

The actual implementation of *solve* (invoked in line 12 of Algorithm 1 to get rid of σ^A) repeats the above process for each feasible splitting of σ^A (into nonempty prefixes and suffixes). Let σ^A be composed of nodes $n_1 : r_1, n_2 : r_2, ..., n_k : r_k$. Because σ^A is an execution computed by LPA-SCR, there must exist events $e_1, ..., e_{k-1}$ such that $post^A(r_i, e_i) = r_{i+1}$, for i = 1 ... k - 1. An invocation of *solve* with σ^A yields formulas $\psi_1, \psi_2, ..., \psi_{k-1}$, such that each $\psi_j(j = 1 ... k - 1)$ is an interpolant for prefix $n_1 : r_1 ... n_j : r_j$ and suffix $n_{j+1} : r_{j+1} ... n_k : r_k, \psi_1, \psi_2, ..., \psi_{k-1}$ are the abstraction predicates required to refine the current reachability tree and rule out σ^A .

The encoding of spurious counterexamples into logical (*LIA*) formulas will be used to build formulas (φ_1, φ_2) for prefixes and suffixes that will then be fed to the decision procedure that performs the computation of interpolants. Let σ^A be as above. Assume that each region r_i contains exactly one mode explicit atomic region, ie, $r_i = \{(m_i, \varphi_i, \Pi)\}$. The encoding of σ^A as a *LIA* formula is $(m_1 \land \varphi_1) \land (m_2 \land \varphi_2) \land ... \land (m_k \land \varphi_k)$. That is, each state of σ^A adds a conjunction of its mode and its predicate to the resulting formula. Notice that this encoding can be applied to any prefix and suffix of σ^A .

Now, assume that $solve(\sigma^A)$ yields formulas $\psi_1, \psi_2, \dots, \psi_{k-1}$. Intuitively, each ψ_i is an overapproximation of the execution $n_1 : r_1, n_2 : r_2, \dots, n_i : r_i$, at abstract state n_i . But as $r_i = \{(m_i, \varphi_i, \Pi)\}(i = 1 \dots k - 1)$, and LPA-SCR's abstraction is precise with respect to modes, m_i is the mode where ψ_i is *relevant* for discarding σ^A . Thus, *solve* returns the computed interpolants as a mapping Π' , such that for all $m_i, \Pi'(m_i)$ is the set of all interpolants that are relevant at mode m_i . In this way, LPA-SCR avoids adding the interpolants as global abstraction predicates. Indeed, in LPA-SCR, the abstraction predicates are local to the modes where they are useful for ruling out σ^A . This allows LPA-SCR to speed up the computation of abstract successors, as it is often the case that a lesser number of (relevant) abstraction predicates have to be considered when they are added locally to modes. The original interpolation-based refinement algorithm for LPA is similar, but it uses program locations instead of modes to localize abstraction predicates.

The assumption made in this paper, that there is only one atomic region per abstract state, enables LPA-SCR to simplify the formulas that will be fed to the decision procedure, which in turn allows for the computation of simpler interpolants. Thus, the implementation of LPA-SCR enforces this assumption (although it could be dropped without compromising correctness).

It is important to remark that the implementation of solve uses the MathSat SMT solver [37] to compute interpolants (for LIA formulas).

4 | ABSTRACTION WITH CONSTRAINT RELAXATION

The overall analysis approach proposed in this paper has been described before, with its lazy abstraction component analysed in detail. It remains to describe, in more detail, the constraint relaxation that is performed prior to abstraction. Figure 6 depicts the main stages of the overall approach. In this figure, it can be seen that the process takes an SCR specification *Spec* and an invariant property *P* as inputs. It then tries to verify that *P* holds in *Spec*, in a completely automated way. As a result of the verification process, it either returns that *P* holds (property valid in the figure), or *P* does not hold and an execution of *Spec* that violates *P* is generated, or the analysis is inconclusive (*Fail*).

A verification attempt consists of 2 main steps. First, a *relaxed* specification *RSpec* is constructed, by removing **NAT** constraints of the monitored numeric variables of *Spec*. This step is discussed in detail below, in Section 4.1. Then, the CEGAR procedure described in the previous section is executed, trying to prove that *RSpec* satisfies *P*.

The CEGAR procedure (Algorithm 1 of Section 3.4) is invoked with *RSpec* and *P* as inputs. If LPA-SCR proves that *P* is valid in *RSpec*, then *P* is also valid in *Spec* (Theorem 4.1 of Section 4.1 states that *RSpec* is a conservative abstraction of *Spec*). Hence, the whole process terminates informing the user that *P* holds. Otherwise, LPA-SCR returns an abstract counterexample: an execution σ^R of *RSpec* that may or may not represent an execution of the original *Spec* violating *P*. (This happens because an abstract counterexample of *RSpec* might involve input events that are forbidden by *Spec*'s **NAT**.)

A second CEGAR process is in charge of dealing with abstract counterexamples σ^R that were deemed concretizable with respect to *RSPec*. This is implemented by the refinement module of Figure 6. First, the concretization leverages existent model checking techniques [35] to explore the state space of abstract counterexample σ^R , looking for an actual execution σ of *Spec* violating *P*. If such a σ exists, the process terminates returning σ as a witness of the violation of *P*. The details for the concretization procedure are given in Section 4.2. If σ^R does not encode a concrete execution of *Spec*, it is said that σ^R is spurious. The predicate discovery module tries to learn a logical predicate *Pred* from spurious σ^R (also using model checking),



such that *Pred* encodes the cause of the σ^{R} 's spuriousness. Furthermore, when added to *RSpec*, the discovered predicate *Pred* discards σ^{R} as a valid execution of *RSpec* (and possibly other spurious counterexamples), allowing LPA-SCR to start over. However, the refinement algorithm is not complete, and it might fail in some cases. When this happens, the process must return *Fail*, as it cannot continue trying to prove *P*.

The remainder of this section is devoted to the technical details of the constraint relaxation phase, as well as the spuriousness checking of *RSPec* counterexamples with respect to *Spec*.

4.1 | Relaxing NAT constraints

Recall from previous sections that the behaviour of a monitored variable mv can be modelled as a binary relation γ_{mv} , called the transition relation for mv. For example, the transition relation for variable mWaterPres in SIS is as follows:

$$\gamma_{\text{mWaterPres}} = \{ (x, x') \mid x' \neq x \land 0 \le |x' - x| \le 10 \land x, x' \in \{0 \dots 5000\} \}$$

In this formula, constraint $0 \le |x' - x| \le 10$ is imposed by *SIS'* **NAT**. The relaxation step consists of removing the **NAT** constraints that limit the behaviour of monitored numeric variables. In the *SIS* example, removing the aforementioned **NAT** constraint yields a new SCR specification, *RSIS*, where the behaviour of mWaterPres is described by relation $\gamma_{mWaterPres}^{R}$ below:

$$\gamma_{\text{mWaterPres}}^{R} = \{ (x, x') \mid x' \neq x \land x, x' \in \{0 \dots 5000\} \}.$$

This achieves the desired effect of letting mWaterPres vary arbitrarily within its domain.

In general, let γ_{mv} below be the transition relation of monitored numeric variable mv in Spec:

$$\gamma_{mv} = \{(x, x') : x' \neq x \land \mathsf{NAT}(x, x') \land x, x' \in \mathsf{TY}(mv)\},\$$

where **NAT**(x, x') is a constraint imposed by **NAT** and $x, x' \in TY(mv)$ enforces the right types for x and x'. The relaxation step removes **NAT**(x, x') from γ_{mv} , producing a new specification γ_{mv}^{R} as below:

$$\gamma_{mv}^{R} = \{(x, x') : x' \neq x \land x, x' \in TY(mv)\}.$$

This process applies the above procedure for each monitored numeric variable mv of Spec, to produce RSpec. If the LTS for Spec is $\Sigma_{Spec} = (S, S_0, E, T)$ and mv_1, \dots, mv_k are Spec's monitored variables, then the LTS for RSpec is $\Sigma_{RSpec} = (S, S_0, E^R, T)$, with

$$mv_i^R = \{(mv_i, \mathbf{v}, \mathbf{v}') \mid (\mathbf{v}, \mathbf{v}') \in \gamma_{mv_i}^R\} \qquad \qquad E^R = \bigcup_{i=1}^k mv_i^R$$

Notice that, for monitored variable mv_i that is unconstrained by **NAT**, we have that $\gamma_{mv_i} = \gamma_{mv_i}^R$. In contrast, if γ_{mv_i} was altered by the relaxation, then $\gamma_{mv_i} \subseteq \gamma_{mv_i}^R$. Therefore, $mv_i \subseteq mv_i^R$ for $i = 1 \dots k$, and in turn, $E \subseteq E^R$. Intuitively, this means that all the input events of *Spec* are events of *RSpec* and that there might be events of *RSpec* that are not events of *Spec*. For example, $e = (mWaterPres, 14, 904) \in E^R$ (*e* is an event of *RSIS*) but $e \notin E$ (*e* is infeasible in *SIS*).

By the above, an execution σ^{R} of *RSIS* that contains infeasible events of *SIS* is not a valid execution of *RSIS*. Conversely, all the executions σ of *SIS* are valid in *RSIS*. This implies that *RSpec* is an *abstraction* of *Spec*: It possesses the same executions of *Spec* plus many others. It should be clear now that the reachable states of *Spec* are a subset of the reachable states of *RSpec*.

Theorem 4.1. Let Σ_{Spec} , Σ_{RSpec} be the LTS associated with Spec and RSpec, respectively. Then, $\text{Reach}(\Sigma_{\text{Spec}}) \subseteq \text{Reach}(\Sigma_{\text{RSpec}})$

Thus, RSpec is a conservative abstraction of Spec: Any invariant property that holds in RSpec also holds in Spec. For this reason, when our analysis process proves an invariant property P in RSpec, it can conclude that P holds in Spec.

As discussed earlier and evidenced by the experiments in Section 5, the relaxation of **NAT** greatly speeds up the execution of LPA-SCR, as a significantly smaller number of abstraction predicates are required for proving properties of *RSpec* (recall the discussion at the end of Section 2). However, executing LPA-SCR with *RSpec* and property *P* might return an execution σ^R of *RSpec* violating *P*. An execution σ^R is called an *RSpec counterexample* that might or might not encode a valid execution of *Spec* violating *P*. In the next section, it is discussed how this approach analyses RSpec counterexamples, building real counterexamples of *Spec*, or getting rid of them if they are spurious.

4.2 | Dealing with RSpec counterexamples

The general form of an RSpec counterexample, returned by LPA-SCR during an attempt to prove property P, is shown below:

$$\sigma^{R} = s_{0}^{A} m v_{0}^{R} s_{1}^{A} m v_{1}^{R} \dots m v_{m-1}^{R} s_{m}^{A}.$$
(1)

Furthermore, $S_0 \subseteq [s_0^A]$, $post^A(s_i, mv_i) = s_{i+1}$ for all *i*, and *P* must not appear positively in φ_m (otherwise, σ^R would not represent a violation of *P*).

Counterexamples σ^R of *RSpec* are dealt with differently depending on whether they only involve feasible events of *Spec* or not. In the first case, one has $mv_i^R = mv_i$ for any monitored variable mv_i . Hence, σ^R only represents valid executions of *Spec*. The *solve* procedure of LPA-SCR (Algorithm 1)



FIGURE 7 Graphical representation of abstract counterexample σ_{RSIS}^{R}

can be used to generate a valid execution of *Spec* violating *P* from σ^R . Notice that σ^R must represent some valid execution of *RSpec*; otherwise, it would have been removed by the refinement algorithm of LPA-SCR.

In the second case, there is $mv_i^R \in E^R$ such that $mv_i^R \notin E$, that is, σ^R involves at least an event of *RSpec* that is infeasible in *Spec*. Therefore, σ^R might represent executions that are infeasible in *Spec* due to **NAT**. Thus, using *solve* to generate a concrete execution from σ^R might produce a spurious counterexample: an execution that is infeasible in *Spec*.

Model checking is used to generate only feasible executions of *Spec* from the latter type of abstract counterexamples, avoiding false positives. To simplify the explanation of the technique, let us assume that there is only one event mv_j in (1) such that $mv_j^R \notin E$ (extending the technique for the general case is trivial). Then, (1) can be rewritten as

$$\sigma^{R} = s_{0}^{A} mv_{0} s_{1}^{A} \dots s_{i}^{A} mv_{i}^{R} s_{i+1}^{A} \dots s_{m-1}^{A} mv_{m-1} s_{m}^{A}.$$
(2)

All feasible executions of Spec represented by σ^R , denoted by $[\sigma^R]$, have to be explored to find out if there exists one that violates P.

Let us formally define what it means for an execution σ of Spec to be represented by σ^{R} .

$$\sigma \in [\sigma^R] \Longleftrightarrow \exists s_0 \in [s_0^A], \dots, s_k \in [s_k^A] \mid s_0 \stackrel{mv_0}{\rightsquigarrow} s_1 \dots s_j \stackrel{mv_j^+}{\rightsquigarrow} s_{j+1} \dots s_{k-1} \stackrel{mv_{k-1}}{\rightsquigarrow} s_k.$$

Notice that the effect of $mv_j^R (\in E^R)$ is "simulated" by executing a sequence of events corresponding to $mv_j \in E$: This is denoted by $s_j \stackrel{mv_j^+}{\leadsto} s_{j+1}$ (see Section 2.1.2 for the definition of mv_j^+). Also, observe that due to the definition of $[\sigma^R]$, the resulting σ is an execution of *Spec*.

This process encodes $[\sigma^R]$ in Promela, the input language of the model checker SPIN [39], and then asks SPIN to find a counterexample $\sigma \in [\sigma^R]$ of *P*. The encoding consists of a modified version of the approach introduced by Bharadwaj and Heitmeyer [35] for the analysis of whole SCR specifications. The approach by Bharadwaj and Heitmeyer [35] is discussed in Section 4.2.2. In Section 4.2.1, an example illustrating the concepts introduced in this section is also provided. Furthermore, this example will be used in Section 4.2.3, where the encoding of counterexamples in Promela is described.

4.2.1 | An example

Let *P* be the following (invalid) *SIS* property: mcPressure=Permitted \land toverriden \rightarrow mWaterPres \neq Permit-1. Feeding LPA-SCR with *RSIS* and *P* yields the abstract counterexample σ_{RSIS}^{R} of Figure 7.

In this figure, below each abstract state s_i^A , the formula yielded by $[s_i^A]$ is indicated, describing all the states represented by s_i^A . The pc=i annotations in the figure can be ignored for the moment.

 σ_{RSIS}^R indicates how to obtain an execution σ of $SIS(\sigma \in [\sigma_{RSIS}^R])$ violating *P*. It states that one must start at the initial state (represented by s_0^A in the figure) and modify monitored variable mWaterPres several times, until a state with mode Permitted and where mWaterPres is not equal to Permit-1 yet is reached (represented by s_1^A). Then, the block switch has to be activated, making the system behaviour overridden in the next state (toverriden holds at s_2^A). Notice that *P* is satisfied at states characterized by s_2^A . But modifying mWaterPres to make it equal to Permit-1 leads to a state where *P* does not hold (represented by s_2^A).

Section 4.2.3 describes the proposed encoding for $[\sigma_{RSIS}^{R}]$. Let us now discuss the original SCR encoding in Promela put forward by Bharadwaj and Heitmeyer [35].

4.2.2 | Encoding SCR specifications in Promela

This section explains the approach by Bharadwaj and Heitmeyer [35] by means of an example, using the *SIS* specification. For further details, the reader is referred to the work of Bharadwaj and Heitmeyer [35]. A snippet of the translation of *SIS* into Promela is shown in Figure 8.

Variable declarations are omitted in Figure 8 due to space restrictions. However, it is worth mentioning that 2 SPIN variables (with the right type) must be declared for each *SIS* entity, storing the prevalue and postvalue of the entity at each transition of the system. For example, the Promela code involves variables mWaterPres and mWaterPresP (of numeric type), denoting the prevalue and postvalue of mWaterPres, respectively. In addition, it is assumed that all variables are initialized to their values in the *SIS* initial state.

```
do ::
  atomic{
   if /* an input event is triggered nondeterministically */
    :: if /* mBlock is modified */
       :: mBlock!=Off -> mBlockP = Off
       :: mBlock!=On -> mBlockP = On
       fi:
    :: if /* mReset is modified */
       :: mReset!=Off -> mResetP = Off
       :: mReset!=On -> mResetP = On
       fi:
    :: if /* mWaterPres is modified respecting NAT */
       :: mWaterPresP = mWaterPres + 1
       :: mWaterPresP = mWaterPres - 1
       ::
       :: mWaterPresP = mWaterPres + 10
       :: mWaterPresP = mWaterPres - 10
      fi;
   fi;
  d_step{ /* encoding of the transition relation defined by tables */
   if /* mode transition table */
    :: mcPressure == TooLow ->
       if
       :: (mWaterPresP >= Low) && (!(mWaterPres >= Low)) ->
                                           mcPressureP = Permitted:
       :: else skip;
       fi;
    :: mcPressure == Permitted ->
       if
       :: (mWaterPresP < Low) && (!(mWaterPres < Low)) ->
                                           mcPressureP = TooLow:
       :: (mWaterPresP >= Permit) && (!(mWaterPres >= Permit)) ->
                                           mcPressureP = High:
       :: else skip;
      fi;
    :: mcPressure == High ->
       if
       :: (mWaterPresP < Permit) && (!(mWaterPres < Permit)) ->
                                           mcPressureP = Permitted:
       :: else skip:
       fi:
   fi;
    /* event and condition tables */
   mBlock = mBlockP; mReset = mResetP; mWaterPres = mWaterPresP;
   mcPressure = mcPressureP;
   tOverriden = tOverridenP;
   cSafetyInjection = cSafetyInjectionP;
  }/* end of d_step */
   /* end of atomic */
od
```

FIGURE 8 Promela encoding for SIS

Recall that the system described by an SCR specification is always reacting to input events triggered in its environment. Hence, the behaviour of the system is modelled as an infinite loop: See lines 1 to 44 of Figure 8. Each iteration of the loop atomically performs the following sequential steps: A unique input event (modifying a monitored variable) is triggered nondeterministically (lines 3-19); the SCR transition function (defined by the tables) is used to compute the next state of the system, by propagating the changes performed by the input event to the remaining entities (lines 21-39); the new values for variables become the current values, so the next iteration starts at the newly computed state (lines 40-41). The **atomic** keyword of line 2 makes SPIN to execute each iteration indivisibly.

The translation heavily uses Promela's **if**. **fi** statements. These are typical nondeterministic guarded alternative command: Exactly one guarded command whose guard is true at the current state is picked for execution. True guards can be ommited, as is the case with the outer **if** of lines 3 to 19. Thus, each of the inner **if**'s of lines 4 to 7, 8 to 11, and 12 to 18 model the execution of a different input event. For example, the new value of mBlock can be set to Off in line 5, if it is currently On (the guard is mBlock !=Off) and vice versa in line 6.

To understand the translation of the SCR transition function, consider the available mode transitions when the current mode is TOLOW, depicted in lines 23 to 26 of the figure. Line 24 states that when the water pressure is currently below constant Low and it becomes greater or equals to Low, then the system must transition to mode Permitted. In any other case, the mode must be kept the same; this is achieved by Promela's **skip** command in line 26.

Some final remarks on the translation of the transition function are in order. The **d_step** keyword of line 20 orders SPIN to execute the transition function atomically and deterministically. That is, **d_step** enables SPIN to pick a fixed, deterministic way of executing any nondeterminism in the code enclosed by it, thereby improving its runtime performance. This works well for the transition function because it is deterministic. In addition, the

transition function must respect the dependency relation D of the specification. If entity e_1 depends on entity e_2 , ie, the value of e_2 must be computed before the value of e_1 , then the Promela code for the table defining e_2 must appear before the code for the table defining e_1 .

4.2.3 | Encoding RSpec counterexamples in Promela

This section describes how the encoding of the previous section is adapted to deal with *RSpec*'s counterexamples. Again, the presentation is driven by means of an example. Let σ_{RSIS}^{R} be the counterexample given in Figure 7, explained in Section 4.2.1. Part of the Promela code describing the set of executions (of *Spec*) represented by $\sigma_{RSIS}^{R}([\sigma_{RSIS}^{R}])$ is shown in Figure 9.

As in the previous encoding, it is assumed that variables are initialized to their values at the initial state. Let *w* be the number of events in σ_{RSIS}^R . An integer variable pc such that pc=i, $0 \le i < w$, is introduced to indicate that events modifying variable *mv_i* of σ_{RSIS}^R are being executed. Notice the pc=i annotations within brackets at the left of each event in Figure 7. In addition, pc=w holds at the last state of σ_{RSIS}^R (although pc=3 is not shown in the figure). Notice that the last (abstract) state of σ_{RSIS}^R represents states violating the property being verified, *P*. Thus, pc=w indicates that a violation contained in σ_{RSIS}^R has been found. Variable pc is set to 0 at the initial state.

The encoding of $[\sigma_{RSIS}^{R}]$ consists of a main loop (lines 1-41), where each iteration triggers an input event modifying the monitored variable corresponding to the current value of pc. At the beginning of each iteration, the approach asserts that pc!=3, using Promela's **assert** clause (line 4). If the model checker is currently at a state that violates the assert, ie, pc=3, it returns the whole execution that took it from the initial state to the current state. Due to the encoding, this is an execution of *Spec* contained in $[\sigma_{RSIS}^{R}]$ that violates *P*. Otherwise, the model checker continues its execution starting from the line following the assert.

```
do ::
  atomic
   /* If we reach the last state a witness has been found */
   assert (pc!=3);
   if /* pick a monitored variable mVar according to PC */
   :: pc==0 \rightarrow mVar=c WP
    :: pc==1 -> mVar=c_BL
    :: pc==2 -> mVar=c_WP
   fi:
   if /* an event modifying mVar is triggered */
       (mVar==c_BL) -> if /* mBlock is modified */
    ::
                       :: mBlock!=Off -> mBlockP = Off
                       :: mBlock!=On -> mBlockP = On
                       fi;
    :: (mVar==c_RS) -> if /* mReset is modified */
                       :: mReset!=Off -> mResetP = Off
                       :: mReset!=On -> mResetP = On
                       fi;
    :: (mVar==c_WP) -> if /* mWaterPres is modified */
                        :: mWaterPresP = mWaterPres + 1
                        :: mWaterPresP = mWaterPres - 1
                        :: ...
                        :: mWaterPresP = mWaterPres + 10
                        :: mWaterPresP = mWaterPres - 10
                        fi;
    :: else -> break
   fi;
  d_step{
    /* encoding of the transition relation defined by SCR tables */
   mBlock = mBlockP; mReset = mResetP; mWaterPres = mWaterPresP;
   mcPressure = mcPressureP;
   tOverriden = tOverridenP;
   cSafetyInjection = cSafetyInjectionP;
  }/* end of d_step */
   if
    :: pc==0 -> skip
    :: pc==0 && (mcPressure==Permitted && !mBlock &&
                           !tOverriden && mWaterPres!=Permit-1) -> pc++
    :: pc==1 && (mcPressure==Permitted && !mBlock &&
                           tOverriden && mWaterPres!=Permit-1) -> pc++
    :: pc==2 -> skip
    :: pc==2 && (mcPressure = Permitted && mBlock &&
                           tOverriden && mWaterPres==Permit-1) -> pc++
   fi;
  }/* end of atomic */
od
```

In lines 5 to 9, monitored variable mVar is selected according to the value of pc (see the pc=i annotations in Figure 7). Then, in lines 10 to 27, an input event modifying mVar is triggered nondeterministically—the guards added to the outermost if ensure that only mVar can be modified at the current iteration.

In lines 28 to 32, the transition relation is used to obtain the new system state, resulting from executing the selected event (modifying mVar). As before, the last step is executed atomically and deterministically (see the comments about **d_step** in the previous section).

The key step of the encoding is how pc is updated. This is done in lines 33 to 40. Figure 7 starts at an abstraction of the initial state, s_0^A , where pc=0. pc=0 has associated event *mWaterPres^R*, meaning that several events modifying mWaterPres have to be executed until s_1^A is reached and pc becomes 1. Intuitively, line 34 indicates that a feasible option when pc=0 is to stay with pc=0, hence executing another event modifying mWaterPres. The other possible option is, when s_1^A has been reached, to set pc=1, as shown in line 35. This means that one event modifying mBlock has to be executed (since mBlock is not an event of *RSIS*) and transition to pc=2. This is done in line 36. The event associated to pc=2 is *mWaterPres^R* again and proceeds similarly as when pc=0.

If the model checker reaches a state with pc=3, it returns a witness of P not holding in Spec. Otherwise, $[\sigma_{RSIS}^R]$ is spurious (it does not represent any feasible execution of Spec) and must be removed from RSpec for the analysis to continue the verification process. This is the topic of the next section.

A comparison of Figures 8 and 9 shows the main advantage of analysing abstract counterexamples instead of the whole specification: The order of execution of input events is (mostly) fixed in abstract counterexamples, whereas they can be triggered in any order in the whole specification. Thus, there are significantly less interleavings to be considered by the model checker when analysing abstract counterexamples, and therefore, it can achieve better runtime performance. The experimental evaluation presented in Section 5 supports this claim.

Finally, it is important to remark that the ideas underlying this analysis approach are independent of the selection of a specific model checking tool, and it can be easily adapted to work with different model checkers.

4.3 | Refinement phase

The refinement module of the *RSpec* analysis takes as input a spurious *RSpec* counterexample σ^R , deemed as spurious by the concretization approach of the previous section, and attempts to produce a predicate *Pred* that discards σ^R when added to *RSpec*. That is, counterexample σ^R originates from an abstract counterexample that could be concretized with respect to the relaxed specification (without NAT constraints), but which was unrealizable once NAT constraints are taken into account.

Let us now introduce some notation that will be useful in the rest of this section. Let σ^R be as in formula (1) (Section 4.2). The prefix of σ^R up to state *i*, $i \leq m$, is denoted by $\sigma^R(..i)$. Notice that the concretization operator is well defined for prefixes of abstract counterexamples. Thus, $[\sigma^R(..i)]$ denotes the concretization of the prefix $\sigma^R(..i)$.

To attempt to learn *Pred* from σ^R , the refinement approach starts looking for the cause of infeasibility of σ^R in a forward manner. That is, it starts an iterative process, initializing a variable *i* in 1, and finishing when *i* = *m*. At each iteration, the approach checks whether $[\sigma^R(..i)]$ contains at least an execution of *Spec*, using the technique presented in the previous section (ie, translating $[\sigma^R(..i)]$ to Promela and running SPIN over the translation). If such an execution exists, $[\sigma^R(..i)]$ is not spurious and *i* is increased by one to start the next iteration. Once the smallest spurious prefix $[\sigma^R(..i)]$ is found, it will proceed by considering that transition $s_{i-1}^A m_{i-1}^A s_i^A$ might be the culprit.

The approach consists simply in using a model checker, in the same way as done in the previous section, to explore $[s_{i-1}^A \ mv_{i-1}^R \ s_i^A]$, ie, to try to find an execution σ of *Spec* that takes the system from a state represented by s_{i-1}^A to another state represented by s_i^A , via the execution of an event modifying variable mv_{i-1} . If no such execution exists, then one can take $Pred = [s_{i-1}^A] \land mv_{i-1}^R \Rightarrow \neg[s_i^A]$; this ensures that starting at a state where $[s_{i-1}]$ holds, the execution of event mv_{i-1}^R of *RSpec* cannot lead to a state where $[s_i^A]$ holds. *Pred* is then added to *RSpec*, allowing the analysis to get rid of the spurious σ^R . On the other hand, if there exists a sequence σ witnessing $[s_{i-1}^A \ mv_{i-1}^R \ s_i^A]$, then the assumption that the last transition was responsible of the spuriousness was misleading. In this case, the process simply terminates the analysis, regarding it *inconclusive*.

Notice that this *lightweight* approach for refinement is incomplete: The last transition is considered in isolation, so the feasibility of the transition may not imply the feasibility of the whole prefix. One may of course find an appropriate refinement for *RSpec*, to remove the spurious counterexample, but the approach would derive in a second, standard CEGAR process again. By taking this simpler approach, one may be missing cases, of course. However, as shown in the experimental evaluation, for the analysed models, one seldom falls into this situation.

To learn about the spuriousness of $s_{i-1}^{A} mv_{i-1}^{R} s_{i}^{A}$, the approach uses a translation from SCR to the input language of the model checker ALV, similar to the one presented by Bultan and Heitmeyer [18] (and conceptually similar to the translation to Promela given in the previous section). This translation will not be discussed here; the interested reader should refer to the work of Bultan and Heitmeyer [18]. The choice of ALV over SPIN here is based on an experimental comparison of the efficiency of both model checkers when analysing $s_{i-1}^{A} mv_{i-1}^{R} s_{i}^{A}$. While in the experiments SPIN was often (much) better at generating witnesses for abstract counterexamples, ALV had a (large) edge in proving them spurious. This might have to do with the different natures of the tools: SPIN is an explicit model checker (it stores traversed states explicitly), whereas ALV is symbolic (it represents set of states by formulas, in an attempt to reduce the required memory space). This conclusion matches that of Bultan and Heitmeyer [18], who also compared these model checkers. Furthermore, ALV makes it easier to describe a set of initial states, as in $s_{i-1}^{A} mv_{i-1}^{R} s_{i}^{A}$, than SPIN, and ran faster in the experiments when a large number of initial states were present. As ALV suffers from performance problems when



FIGURE 10 A spurious counterexample σ^R of *RSIS*

generating witnesses, a timeout of 1 minute is set for the analysis of $s_{i-1}^{A} mv_{i-1}^{R} s_{i}^{A}$. If ALV does not answer before the timeout, the refinement process fails.

4.3.1 | Refinement example

Consider the counterexample σ^R (of *RSIS*) shown in Figure 10 that took place during the experiments of Section 5. In σ^R , the system starts at the initial state and moves to an abstract state with mode Permitted where mWaterPres>=Permit holds, by executing *RSIS*' event *mWaterPres*^R. However, σ^R is spurious in the original *SIS*, as mWaterPres>=Permit triggers a transition to mode High (starting from mode Permitted), and the only way to go back to a state in mode Permitted is when mWaterPres takes a value lower than Permit. ALV can prove that σ^R is infeasible in *SIS* in a few seconds. Then, the refinement process produces the following predicate that removes σ^R from *RSIS*:

Pred = (mcPressure=TooLow ∧ mWaterPres' ≠ mWaterPres ⇒ ¬(mcPressure'=Permitted ∧ mWaterPres'>=Permit))

5 | EXPERIMENTAL EVALUATION

The experimental evaluation is presented to answer the following research questions:

RQ1) Is the lazy abstraction approach (algorithm LPA-SCR) better suited than traditional lazy abstraction to analyse SCR specifications? **RQ2**) Is the whole analysis approach more efficient than alternative techniques to analyse SCR specifications maintaining the original level of detail?

To answer RQ1, in Section 5.1, the effects of localizing abstraction predicates to modes and modularizing the transition relation, when analysing SCR specifications, is evaluated. To answer RQ2, the whole analysis process is compared with alternative techniques for automated test case generation and verification of properties of SCR specifications, in Sections 5.2 and 5.3, respectively.

The evaluation is based on various case studies taken from the literature on SCR specification and analysis [28]. These are a cruise control system (ccs), the safety injection system (sis) used as a running example throughout this article, an aircraft's autopilot (autopilot), and a car overtaking protocol for coordinating smart vehicles (car3prop). All the experiments were run on an 2.6GHz Intel Core 2 Duo PC with 3GB of RAM (2.5GB maximum memory set for the analysis tools), running GNU/Linux 3.0. The prototype tool implementing the proposed analysis approach as well as the case studies reported here can be downloaded from http://dc.exa.unrc.edu.ar/staff/rdegiovanni/case-studies/SCR_Analysis.zip.

Generating test cases from SCR specifications

Let us briefly explain in what consists the test case generation problem for SCR specifications. Intuitively, a *test case* is a run of the SCR specification (see Section 2.1.2) that covers certain functionality. More precisely, a test case is a sequence of input events, together with the outputs that the events produce in the SCR specification. Then, these test cases can be used for *validation* (contrasting if the actual specification captures the user expected behaviour) and *verification* (checking if the implementation meets the requirements specification).

To use the presented approach to generate test cases for SCR specifications, we follow various different techniques based on model checking that have been introduced in the literature [19, 28, 41]. First, one needs to build all *test predicates* corresponding to the coverage criterion of interest. Each of these test predicates characterizes a particular equivalence class of test cases, in the corresponding test criterion. Then, for each test predicate *P*, a *trap propertyTP* = $\neg P$ is generated. Then, the presented approach is executed with the property *TP* as input. If the approach generates a counterexample for *TP*, then a run that reaches a state satisfying *P*, ie, a *test case* for *P*, has been found. Otherwise, *P* is an infeasible test predicate.

Several different coverage criteria have been proposed for SCR specifications. To assess the presented approach, the following are considered:

- Table coverage (T): Every cell of every table is covered at least once.
- Split mode coverage (SM): If a cell refers to various modes, the cell is covered for each of the modes separately.
- Disequality split (DS): Expressions containing disequality operators are covered for the "cases" of the disequality, eg, ≥ is split into > and =.
- Boundary coverage (B): Boundary values of disequalities in expressions are covered. For example, y > C (with x and C integers) is split into x = C + 1 and x > C + 1.

• Modified condition decision coverage (MCDC): Each literal (condition) is shown to independently affect the value of the expression (decision) it is part of.

5.1 | Assessing the lazy abstraction algorithm

The goal in this section is to measure the effect of the 2 key features of the lazy abstraction algorithm presented in this paper, in Section 3: Modes are used for localizing abstraction predicates, and the SCR transition relation is modularized according to modes and events. Notice that here, it is not the full approach what is being assessed (in particular, the effect of relaxing the NAT relation of the specification is not evaluated). The SCR lazy abstraction algorithm is evaluated using different configurations:

- LPA: Standard LPA, with modes not part of the initial abstraction, support predicates local to regions, and no modularization of the transition relation.
- LPA + m.: LPA plus modes in the initial abstraction and support predicates local to modes.
- LPA + mt.: LPA plus a modularized transition relation.
- LPA + m. + mt.: The LPA-SCR algorithm, which uses all the optimization techniques discussed above, including m. and mt.

This experimental evaluation compares different configuration of the approach presented in this paper, to assess how its different components affect performance. To be able to observe the impact, models that are amenable to *all* configurations have to be used. This unfortunately is not the case for most of the original versions of the models considered in this paper: The only model that can in fact be analysed *as is* with all configurations is car3prop, because it does not feature numeric domains. To have a more representative analysis, the literature was sought for versions of the considered models that can be subject to all analyses. As a result of this search, *reduced* versions for 2 of the cases were found, namely, autopilot reduced and sis reduced[28]. To have a hint of the extent of the simplification in the specifications, eg, autopilot reduced deals with integer variables in the range [0..500], while the original autopilot has these same variables over the range [0..10000].

Table 1 summarizes the results of the experiment. The first row of the table shows the name of the case study and, in brackets, the number of test predicates to be covered. Column runs indicates the number of times a technique had to be executed to generate tests cases to cover all of the test predicates, for all criteria. Column c/i/u displays the number of covered (c), infeasible (i), and uncovered (u) test predicates. Covered predicates are those for which a test case could be generated, infeasible predicates are those marked unrealizable by the corresponding technique, and uncovered predicates represent cases where the technique was inconclusive (errors). For the covered test predicates, the number of runs needed is indicated in brackets, since a single run can cover several test predicates. Column time indicates how many seconds took a technique to generate tests cases for all the considered test predicates. It is important to remark that any individual run that lasted more than 1 hour was stopped and marked the corresponding test predicate as uncovered.

The results in Table 1 point out that the LPA-SCR approach is 6× faster than standard LPA. More importantly, it is able to cover all the test predicates, as opposed to the alternatives. This happens because either lazy abstraction needs to handle many (nonlocal to modes) abstraction predicates, or it had to rediscover too many predicates (see below), making the abstract model too expensive to construct within the given time limits.

In the LPA-SCR algorithm, support predicates are local to modes instead of regions. It was argued earlier in this paper that, due to the structure of tables, regions with the same mode tend to share the support predicates. To validate this hypothesis, a few test predicates were randomly chosen for each case study and gathered the total number of predicates required to generate each test case, the maximum number of times a predicate has been rediscovered for different regions with the same mode during standard abstraction, and the number of abstract nodes constructed by each approach. These results are summarized in Table 2.

Clearly, LPA-SCR is improved by localizing support predicates using the modes of the specification, as this allows it to significantly reduce the number of support predicates needed and the number of invocations to the abstraction refinement procedure. The aforementioned results are the main cause of the good behaviour (the competitive performance) of LPA-SCR against lazy abstraction, shown in Table 1. It is important to remark that models involving numeric variables over large ranges, such as sis, are those in which standard LPA expends more effort in rediscovering support predicates. This difference becomes notoriously more evident when the original SCR specifications are analysed (recall that here reduced versions of the models were considered), where more predicates are needed and, so, rediscovered.

CS	car3prop (498 TPs.)		sis reduced (91 TPs.)		autopilot reduced (409 TPs.)				
	Runs	c/i/u	Time	Runs	c/i/u	Time	Runs	c/i/u	Time
LPA	110	402(14)/90/ 6	33620	19	80(4)/11/ 0	8496	21	395(7)/10/ 4	23497
LPA + m.	114	401(17)/96/ 1	8858	21	80(10)/11/ 0	5319	81	347(19)/10/ 52	113401
LPA + mt.	118	402(22)/74/ 22	69197	20	80(9)/11/ 0	13032	51	389(31)/10/ 10	22201
LPA-SCR	119	402(29)/96/ 0	1795	23	80(12)/11/ 0	4724	54	399(44)/10/ 0	3951

 TABLE 1
 Assessment of our LPA-SCR algorithm

CS	LPA			LPA-SCR		
	Nodes	Predicates	Most Repeated	Nodes	Predicates	
car3prop P1	41	94	30	76	11	
car3prop P2	48	75	33	75	8	
sis reduced P1	916	158	50	936	65	
sis reduced P2	113	25	8	113	17	
autopilot reduced P1	1037	126	21	1192	32	
autopilot reduced P2	965	126	21	1120	32	

 TABLE 2
 Predicates local to modes vs predicates local to regions

5.2 | Experimental results for test generation

In this section, the approach REL-LPA-SCR is assessed against alternative techniques for automated test case generation of SCR specifications. In particular, a broad assessment of several model checkers for this task was presented by Fraser and Gargantini [28]. Then, the approach is compared against the model checkers used by Fraser and Gargantini [28], on the case studies already mentioned: ccs, sis, autopilot, and car3prop. It is important to remark that, for the experiments in this section, the full specifications are considered, maintaining numeric data as in the original description of the specifications (ie. not manually reduced versions as in the work of Fraser and Gargantini [28]). Several model checkers with different features are considered (explicit state and symbolic and bounded model checkers) for this comparison: SPIN, NuSMV, Cadence SMV, and SAL. Three new tools are also considered: CPAChecker [42], a tool for predicate analysis of C programs, based on lazy abstraction and interpolation-based refinement: Randoop [43], a feedback-directed random test generation tool for Java programs; and Evosuite [44], an automated test case generation tool for Java programs based on evolutionary computation. CPAChecker is an example of a modern, efficient CEGAR-based model checker. The other 2 tools are examples of state-of-the-art technology for automated test case generation that are known to perform very well in practice and do not suffer from the scalability issues that model checkers are often subject to. To run CPAchecker, a C program per each case study was built, where the nondeterminism associated with the alterations on monitored variables is captured through auxiliary routines of the kind VER-IFIER nondet int() that the tool provides. To run both Randoop and Evosuite, a Java class per each case study was developed, in which public methods capture the changes in the monitored variables; by producing tests that exercise these classes through their corresponding APIs, test sequences for the corresponding cases are produced. All classes and auxiliary programs are provided as part of the bundle for reproducing the experiments, reported earlier in this paper. These tools were run using a variety of settings, and only the best result produced by each tool is reported. When a model checking tool is not mentioned for one of the case studies, it means that it performed significantly worse than the other model checkers. All tools except for Randoop were run once per test predicate. Randoop, on the other hand, since it is not driven by coverage, was let to run for a whole hour, and then the resulting suite was evaluated, to analyse how many test predicates were covered.

Table 3 shows the results of this experiment. For each case study and technique, the table shows the number of times the tool was invoked (runs), the number of covered (c), infeasible (i), and uncovered (u) test predicates (when the technique is inconclusive). In each of the covered cases, it has been indicated, between parentheses, the number of tests produced by each tool, as a single test may cover several test predicates. As in the previous section, here, all the test criteria are considered to obtain the test predicates (indicated in the table next to the name of each case study). The column time indicates the total running time, in seconds, for each tool. Additionally, for the whole analysis approach, the time consumed by the LPA-SCR algorithm, the time required by the model checkers to build a feasible counterexample (M.C. Conc.), and to produce the constraints that remove spurious violations (M.C. Ref.), are distinguished. Since the original (large) specifications are dealt with, the timeout for covering a single test predicate is set to 5 minutes and a total analysis time of 5 hours for each technique. The only exception was Evosuite; a test suite per each predicate to be covered was produced; since the tool has a default timeout of 2 minutes to attempt to achieve coverage, the tool was run with this default configuration and the total generation time was summed up; the tool may achieve generation before the timeout, but continues to run to improve (eg, reduce the size) of the test suite. While this provided an advantage to the tool, it still performed worse that other approaches, so the whole results were reported instead of only those that could be covered within the 5 hours timeout.

Let us discuss the results presented in Table 3. The first issue to notice is that the presented technique is able to generate test cases for almost all predicates (only one error in the autopilot due to the incompleteness of the abstraction refinement approach), even when other tools fail to do so. This is more evident in large case studies, like ccs and autopilot, where the models contain many monitored variables with large numeric domains.

In the largest case study, the ccs model (31 variables, where 10 are numeric with ranges from 0 to 999999), the presented approach (REL-LPA-SCR) does not fail for any test predicate, whereas most other tools consistently fail due to the huge state space to be explored. SPIN is the only model checker able to generate test cases for some predicates (about 25% of the total). However, it can only handle "easy" test predicates, that is, those for which the corresponding tests can be generated by exploring just a small part of the state space (notice that SPIN never marks any predicate infeasible, since it cannot explore the entire state space). Being an explicit state model checker, SPIN is very fast in generating test cases, but it generally runs out of memory quickly for large models.

	Runs	Tests (c/i/u)	Time	LPA-SCR Time	M.C. Conc.	M.C. Ref.
autopilot(409 TPs.)						
SPIN	169	288(48)/0/ 121	2351			
Cad. SMV	378	36(5)/0/ 373	Timeout			
SAL/SMC	296	116(3)/0/ 293	Timeout			
CPAchecker	409	275(275)/8/ 126	118323			27315
Randoop	1	201(160025)/0/ 208	3600			
Evosuite	409	0/0/ 409	21275			
REL-LPA-SCR	234	398(223)/10/ 1	1390	227	848	313
ccs (582 TPs.)						
SPIN	582	164/0/ 418	3456			
Cad. SMV	582	0/0/582	Timeout			
CPAchecker	582	328(328)/83/ 171	183661			29545
Randoop	1	139(192073)/0/ 443	3600			
Evosuite	582	0/0/582	62696			
REL-LPA-SCR	457	482(357)/100/ 0	4657	1402	1602	1472
CDINI	10	si:	s(91 TPs.)			
SPIN	19	80(8)/11/0	146			
NUSMV	27	80(16)/11/0	995			
Cad. SMV	31	80(20)/11/0	420			
SAL/SMC	2/	80(16)/11/0	38			
CPAchecker	91	24(24)/11/56	50530			20672
Randoop	1	24(153782)/0/ 67	3600			
Evosuite	91	0/0/91	6484			
REL-LPA-SCR	70	80(59)/11/ 0	156	13	111	30
	4.40	car3p:	rop(498 IP	s.)		
NUSMV	142	402(46)/96/0	261			
Cad. SMV	160	402(64)/96/0	/8			
SAL/BMC	133	402(37)/81/15	56			
CPAchecker	498	345(345)/15/ 138	130025			19947
Randoop	1	264(289)/0/ 234	3600			
Evosuite	498	259(13526)/0/ 239	65730			
REL-LPA-SCR	460	402(364)/96/ 0	2509	2059	450	0

 TABLE 3
 Comparison between the whole analysis approach (REL-LPA-SCR) and other test generation tools in the generation of test cases for SCR

The second largest specification, autopilot (10 variables, 6 of those are numeric with range from 0 to 10000), shows a similar behaviour to css, although the model checkers can cover more test predicates in this case (close to 70% with SPIN). Despite the fact that the presented approach is clearly better in this case study, this is the only case in which our approach reports one error: It runs out of time (5 minutes) when SPIN is run to build a concrete counterexample. Similar to the ccs, notice that no model checker can mark a predicate as infeasible for the autopilot, due to the big state space to be explored.

However, for small specifications, some model checkers can be faster than the presented approach. For example, the sis case study contains just 3 monitored variables (only one of those is numerical), so it does not represent a big problem for the model checkers. In particular, SAL (a bounded model checker) is faster than the presented approach, but the times obtained with the technique are still comparable with the other model checkers. For the car3prop model, all the model checkers are faster than the approach. It is important to remark that car3prop does not have any numeric variable and has a large number of monitored variables. Thus, the absence of numeric variables allows model checkers to explore the full state space very efficiently. On the other hand, the presented analysis approach does not benefit from relaxing the NAT relation, and due to the characteristics of the model, it has to introduce a high number of abstraction predicates, yielding worse running times than the model checkers.

CPAchecker is included in this evaluation to have a comparison with a standard CEGAR-based model checking approach. While the case studies had to be encoded as C programs (extended with nondeterministic assignments and other elements), this is not different from other encodings in Promela that have been described earlier in the paper. The tool showed a poor performance in comparison with the technique; we believe that the constraint relaxation, as well as the SCR-tailored abstraction, contributed to this difference. Experiments in Section 5.1 provide some evidence in this direction. The number of predicates introduced for abstraction refinement made the tool timeout in a significant number of cases. Indeed,

while covered/infeasible reachability properties typically demand about 16 refinement predicates in average, those that timeout require 159 in average, confirming the motivation in the paper (the most significant difference was observed in the sis case study, with an average of 10 introduced predicates for those cases that finished as infeasible or covered, and an average of 329 introduced predicates for those that timeout).

Randoop and Evosuite are examples of well-regarded tools for test generation in the context of Java programs. While Randoop can produce a very large set of test cases very efficiently, the length necessary in many cases to reach some states of interest makes it very difficult for this tool to achieve good test predicate coverage. Evosuite targets coverage, so it was attempted to encode reachability of the predicates of interest as a guidance to the tool. Again, the tool could cover many cases, but it does not even meet the performance of some standard model checking tools. It seems that this particular test generation scenario is better suited for the latter kind of tools.

Finally, from Table 3, it is observed that the abstraction time was significantly lower than the time spent in model checking (with the only exception of car3prop). This provides evidence to support the initial hypothesis, which establishes that many interesting properties can be proved without considering the specific values taken by numeric variables. However, for the properties in which the precise value of numeric variables is important, model checking has to be relied upon to generate the concrete test cases and refine the relaxed specification, a process much more expensive than the presented abstraction algorithm.

5.3 | Experimental results for verification

Let us now concentrate in showing that REL-LPA-SCR can also be used for efficiently verifying properties of SCR specifications. Different state of the art tools, like the SCR Toolset [17] (generally using SPIN to perform the analysis) and the (infinite state) model checker ALV [18], have been used for verifying state and transition invariants for SCR specifications. However, they reported that these techniques requires a "manual" abstraction of the specification, to reduce the state space and be able to successfully complete the analysis of the specification. But, as these manually reduced specifications are not publicly available, the result of running the model checkers (SPIN and ALV) on the original specification are reported. CPAchecker is also included in this evaluation. Thus, the goal in this section is to evidence that REL-LPA-SCR can verify properties without any manual abstraction, as opposed to the related techniques. Since the original (large) specifications are not taken into account for the comparison, because the focus is on automated verification techniques.

The state and transition invariants mentioned by Heitmeyer et al. [17], Bultan and Heitmeyer [18], and Bharadwaj et al. [11] are considered: 11 properties for the ccs model, 4 for the sis, and 2 for the autopilot, respectively. In particular, 9 properties in the ccs models are valid invariants, 3 in the sis, and 2 in the autopilot. Notice that car3prop is not included in this evaluation. This has to do with the fact that, in the literature, no property verification scenarios were found regarding this case study. Table 4 summarizes for each tool the number of properties that were verified to be valid (v), the number of generated counterexamples (c), and the number of times the tool was inconclusive (i). The time, in seconds, needed for each tool to analysed the whole set of properties for each case study, is also reported.

The approach presented in this paper behaves considerably better than the model checkers SPIN, ALV, and CPAchecker. From the point of view of efficiency, the technique is in general several orders of magnitude faster than alternative techniques. The approach is able to verify and generate

	Prone (w/c/i)	Timo				
	PTOPS. (V/C/T)	Time				
autopilot (2 properties)						
SPIN	0/0/2	7200				
ALV	0/0/2	7200				
CPAchecker	1/0/1	3657				
REL-LPA-SCR	2/0/ 0	1				
CC	s (11 properties)					
SPIN	0/1/10	36004				
ALV	6/1/4	14652				
CPAchecker	5/2/4	16654				
REL-LPA-SCR	9/2/ 0	44				
si	$_{\rm S}$ (4 properties)					
SPIN	3/1/ 0	1				
ALV	2/0/ 2	7202				
CPAchecker	3/0/1	3640				
REL-LPA-SCR	3/1/ 0	5				

 TABLE 4
 Comparison between the whole analysis

 approach (REL-LPA-SCR) and model checkers in the
 verification of properties for SCR specifications

counterexamples for properties in both simple and complex SCR specifications that contain numeric variables. Notice that the only case in which this approach behaves worse than a model checker is the sis example, where SPIN is faster for the same reasons we explained in the previous section, when SPIN was faster for test case generation. However, SPIN fails in analysing the bigger case studies. In the case of ALV, it shows a better behaviour than SPIN when analysing the ccs case study, being able to verify 6 (simple) properties, and even to generate one counterexample (the same handled by SPIN). However, ALV's performance gets worse when analysing specifications that contain numeric variables, as in the cases of the autopilot and sis. It is also important to remark that, from the point of view of effectiveness, the approach had in these case studies, no case reported as inconclusive.

6 | RELATED WORK

The SCR Toolset [17] provides a wide set of tools to perform different kinds of analysis to SCR specifications, eg, syntax checking, consistency analysis, and the verification of properties via theorem proving and model checking [17, 18, 45]. In particular, some of these tools enable one to perform verification via model checking, which either require manual abstractions from the developer, or do not scale well. With respect to testing, the simulator in the SCR toolset allows the developer to load specific scenarios, which are in principle provided by the engineer, and check whether certain associated assertions are violated or not in the particular executions described by the scenarios.

Gargantini and Heitmeyer [19] used a model checker for automatically obtaining executions transiting through particular *modes* of the SCR specification. Later on, Fraser and Gargantini [28] made a thorough comparison between various model checkers (symbolic, bounded, explicit state, etc) to automatically generate test cases from tables and analysed the achieved coverage and scalability issues. With respect to test generation, the evaluation of the technique presented in this paper is based on case studies analysed by Fraser and Gargantini, and the comparison with model checkers uses Fraser and Gargantini's framework of model checkers for test case generation from SCR tables. Bultan and Heitmeyer [18] used the ALV infinite state model checker to analyse SCR tables. As they mentioned, ALV is not well suited for finding counterexamples, and so, neither it is for generating test cases. Then, ALV was not considering for assessing the approach presented in this paper for this task. The approach has been then compared with most of the abovementioned works, which shows that the technique is more effective than other approaches for larger requirements models.

To the best of the authors' knowledge, automated abstraction techniques have been applied to tabular requirements specifications infrequently, particularly for testing purposes. Bharadwaj and Heitmeyer [35] applied abstraction to SCR specifications, for scalability purposes related to model checking. That approach is based on the removal of irrelevant variables (slicing) to the property of interest and the transformation of "internal" variables into monitored ones, with the aim of removing detailed variables (eg, numerical variables). Nevertheless, they only provide experimental results using a few properties over 2 small SCR specifications. Later on, Heitmeyer et al. [17] assessed these abstraction techniques under a broader set of examples, mentioning the need of performing different kinds of manual ad hoc abstractions to successfully complete the analysis of some properties via model checking. In contrast to these techniques, the approach presented in this paper performs the abstraction process in a fully automated way and is capable of dealing with the SCR specification maintaining the original level of details, as shown in Section 5.3.

Many successful approaches to verification and test generation have been proposed. Some of these are based on SMT solving, abstraction, combinations, and variants. Most works target *code analysis* rather than requirements specifications. In particular, lazy abstraction with abstraction refinement based on interpolation was used for automatically generating tests leading to the reachable locations of a program, with successful applications in device drivers and security critical programs [41]. Other related and successful approaches are those by Henzinger et al. [38] and Chaki et al. [46]. The LPA-SCR algorithm of the approach presented in this paper is based on that put forward by Beyer et al. [41], which uses lazy abstraction [22] for test generation, but targets requirements specifications. As opposed to programming domains, in which abstraction was successfully applied [47], requirement specifications are not "control intensive," thus constituting a novel interesting domain. Furthermore, the LPA-SCR algorithm was especially tailored for SCR requirements specifications, exploiting their particular characteristics to make the analysis of interesting SCR specifications feasible.

Other automated tools such as Pex [40] and SPF [48] successfully implement automated white box test case generation for .NET and Java programs, respectively. These target code and are based on symbolic execution instead of predicate abstraction with automated refinement. Two representatives of well-regarded tools for automated test case generation have been considered in this paper, one that is driven by white-box criteria, namely, Evosuite [44], and a black-box driven tool based on random test generation, namely, Randoop [43]. The experiments showed that while these tools perform very well in achieving high coverage and mutation score in the context of test generation from code [43, 44], the setting considered in this paper seems to be inherently different, with the high degree of nondeterminism in specification that has been mentioned earlier in this paper, leading these tools to a weaker table coverage compared with model checking tools.

Finally, it is worth to mention that this paper extends and improves the work presented by Degiovanni et al. [23]. The main difference that work is the way in which specifications with large numerical domains are handled. Particularly, while Degiovanni et al. [23] proposed to split the domain of numerical variables in several smaller intervals, helping the abstraction process to converge, that solution had 2 major drawbacks: It is not trivial to decide how to split the intervals, and the analysis is very slow, for relatively simple specifications. The new abstraction-based approach presented

in this paper performs a fully automated abstraction process that, as we showed in Section 5, allows us to efficiently analyse SCR specifications (maintaining the original level of detail).

7 | CONCLUSIONS

The requirements process is an important phase in the development of quality software that demands requirements specification frameworks to aid requirements elicitation, specification, and refinement. Formal approaches such as SCR, the subject of this article, have an increased potential to expose ambiguities, missing cases, and errors in requirements specifications, but their successful application depends greatly on having adequate and powerful automated tool support. A well-known limitation in automated analysis is the so-called state explosion problem, which has been tackled in various ways, including abstraction-based techniques. In this paper, a number of features inherent to SCR tabular requirements specifications, which can be exploited to improve their abstraction-based automated analysis, have been identified. These observations led to a 2-stage abstraction process, which involves a first relaxation stage, where certain constraints are disregarded from the specification, and a second, more classical, CEGAR process. It is during the latter that features of SCR specifications are exploited to modularize and simplify requirements specifications for abstraction-based analysis, while the former treats a particular kind of specification element (numerical variables over large domains) to aid the latter.

The approach was assessed through a detailed comparison with alternative techniques for test generation and property verification of SCR specifications, on case studies that have been widely used in the literature. This approach showed better efficiency and scalability than existing techniques and was capable of analysing all our case studies at their original level of detail, unlike other approaches that failed in several cases, most notably in those whose specifications involved monitored numerical variables with large domains.

The motivation for dealing with "larger" specifications is straightforward: It contributes to the scalability in this kind of analysis and facilitates the validation and verification activities. On the one hand, for test generation, it is important that the generated tests maintain the level of abstraction/detail expected by users and present in the implementation. Otherwise, the tests have to be manually adapted by the engineer to be useful in the original context: a slow, tedious, and error-prone process. On the other hand, properties verified in reduced models might exhibit violations in the original, larger specification. Thus, using reduced specifications is only useful to increase the engineer's confidence in the correctness of the specification, but are less effective in ensuring the absence of errors.

ACKNOWLEDGEMENTS

This material is based upon work partially supported by Argentina's ANPCyT through grants PICT 2012-1298, 2013-2624, 2015-2341, and 2015-2088 and by NPRP grant NPRP-4-1109-1-174 from the Qatar National Research Fund (a member of Qatar Foundation).

REFERENCES

- 1. C. Ghezzi, M. Jazayeri, and D. Mandrioli, Fundamentals of software engineering, Prentice-Hall, Upper Saddle River, NJ, USA, 2002.
- 2. P. Jalote, An Integrated approach to software engineering, 3rd ed., Springer, Indian Institute of Technology, Kanpur, India, 2005.
- 3. I. Sommerville, Software engineering, 8th ed., Addison-Wesley, Boston, MA, USA, 2006.
- 4. W. Stevens, G. Myers, and L. Constantine, Structured design, IBM Syst. J. 13 (1974), no. 2, 115–139.
- 5. N. Maiden and I. Alexander, Scenarios, stories, use cases: Through the systems development life-cycle, J. Wiley and sons, Chichester, 2004.
- 6. K. Heninger et al.: Software requirements for the A-7E aircraft. NLR Memorandum Report 3876. US Naval Research Lab., Washington DC, USA, 1978.
- C. Heitmeyer, B. Labaw, and D. Kiskis, Consistency checking of SCR-style requirements specifications, Proceedings de IEEE International Symposium on Requirements Engineering, York, U.K.IEEE, 1995, pp. 55-65. https://doi.org/10.1109/ISRE.1995.512546.
- 8. C. Heitmeyer, Requirements models for critical systems, Software and Systems Safety Specification and Verification, IOS Press, Amsterdam, The Netherlands, 2011, pp. 158-181.
- 9. C. Heitmeyer and J. McLean, Abstract requirements specifications: A new approach and its application, IEEE Transactions in Software Engineering, IEEE CS, Washington DC, USA, 1983, pp. 580–589.
- A. J. Van Schouwen, D. Parnas, and J. Madey, Documentation of requirements for computer systems, Proceedings of the IEEE International symposium on Requirements Engineering, IEEE, San Diego, California, USA, 1993, pp. 198–207.
- 11. R. Bharadwaj and C. Heitmeyer, Applying the SCR requirements method to a simple autopilot, Proc. of NASA Langley Formal Methods Workshop, Hampton, Virginia, USA, 1997, pp. 1-15.
- 12. R. W. Butler: An introduction to requirements capture using PVS: Specification of a simple autopilot. NASA Technical Memorandum 110255. NASA Langley Research Center, Hampton, Virginia, USA, 1996.

- 13. J. Jr Kirby: Example NRL/SCR software requirements for an automobile cruise control and monitoring system. Technical Report TR-87-07. Wang Institute of Graduate Studies, Tyngsborough, Massachusetts, USA, 1987.
- 14. C. Heitmeyer et al., Building high assurance human-centric decision systems, Autom. Software Eng. 22 (2015), no. 2, pp 159-197. Springer.
- 15. C. Heitmeyer and E. Leonard, Obtaining trust in autonomous systems: Tools for formal model synthesis and validation, Proceedings of IEEE/ACM 3rd. FME Workshop on Formal Methods in Software Engineering. IEEE CS, Florence, Italy, 2015, pp. 54-60.
- 16. E. Letier et al., Deriving event-based transition systems from goal-oriented requirements models, Autom. Software Eng. 15 (2008), no. 2, 175–206.
- 17. C. Heitmeyer et al., Tools for constructing requirements specifications: The SCR Toolset at the age of ten, Comput. Syst. Sci. Eng. 20 (2005), no. 1, 19-35.
- 18. T. Bultan and C. Heitmeyer, Applying infinite state model checking and other analysis techniques to tabular requirements specifications of safety-critical systems, Des. Autom. Embedded Syst. 12 (2008), no. 1-2, 97-137.
- 19. A. Gargantini and C. Heitmeyer, Using model checking to generate tests from requirements specifications, Proc. of ESEC/FSE 1999, LNCS, Springer, Toulouse, France, 1999, pp. 146-162.
- S. Das and D. Dill, Successive approximation of abstract transition relations, Proc. of the IEEE Symposium on Logic in Computer Science LICS 2001, IEEE Press, Boston, Massachusetts, USA, 2001, pp. 51-58.
- 21. K. McMillan, Interpolation and SAT-based model checking, Proceedings of the 15th International Conference on Computer Aided Verification CAV 2003, LNCS 2725, Springer, Boulder, CO, USA, 2003, pp. 1-13.
- 22. T. Henzinger et al., Lazy abstraction, Proc. of POPL 2002. ACM, Portland, Oregon, USA, 2002, pp. 58-70.
- 23. R. Degiovanni et al., Proceedings of International Conference on Tests and Proofs TAP 2011, LNCS 6706, Springer, Zurich, Switzerland, 2011.
- 24. C. Heitmeyer, R. Jeffords, and B. Labaw, Automated consistency checking of requirements specifications, Trans. Soft. Eng. Method. 5 (1996), no. 3, 231-261. ACM.
- 25. D. Parnas and J. Madey, Functional documentation for computer systems, Sci. Comput. Program. 25 (1995), no. 1, 41-61. Elsevier.
- P. Courtois and D. Parnas, Documentation for safety critical software, Proceedings of the 15th International Conference on Software Engineering ICSE 1993, IEEE, Baltimore, MD, USA, 1993, pp. 315–323.
- 27. S. Graf and H. Saïdi, Construction of abstract state graphs with PVS, Proceedings of the 9th International Conference on Computer Aided Verification CAV, LNCS 1254, Springer-Verlag, Haifa, Israel, 1997, pp. 72-83.
- 28. G. Fraser and A. Gargantini, An evaluation of model checkers for specification based test case generation, Proc. of ICST 2009, LNCS, Springer, Denver, CO, USA, 2009, pp. 41-50.
- 29. D. Beyer et al., The software model checker BLAST, STTT 9(5-6), Springer, Berlin Heidelberg, Germany, 2007, pp. 505-525.
- 30. D. Beyer, T. Henzinger, and G. Théoduloz, Lazy shape analysis, Proc. of CAV 2006, LNCS 4144, Springer, Berlin Heidelberg, Germany, 2006, pp. 505-525.
- 31. B. Schlich, Model checking of software for microcontrollers, PhD Thesis, RWTH Aachen University, 2008.
- 32. F. Alberti et al., Lazy abstraction with interpolants for arrays, Proc. of LPAR 2012, LNCS 7180, Springer, Mérida, Venezuela, 2012, pp. 46-61.
- A. Cimatti, I. Narasamdya, and M. Roveri, Boosting lazy abstraction for SystemC with partial order reduction, Proc. of TACAS 2011, LNCS, Springer, Saarbrücken, Germany, 2011, pp. 341-356.
- Y. Vizel, O. Grumberg, and S. Shoham, Lazy abstraction and SAT-based reachability in hardware model checking, Proceedings of Formal Methods in Computer-Aided Design FMCAD 2012, IEEE, Cambridge, UK, 2012, pp. 173-181.
- 35. R. Bharadwaj and C. Heitmeyer, Model checking complete requirements specifications using abstraction, Autom. Software Eng. 6 (1999), no. 1, 37-68. Springer.
- 36. R. Jhala. Lazy abstraction, PhD thesis, Indian Institute of Technology, New Delhi, 1999.
- 37. R. Bruttomesso et al., The mathSAT 4 SMT solver. Proc. of CAV 2008, LNCS 5123, Springer, Princeton, NJ, USA, 2008, pp. 299-303.
- 38. T. Henzinger et al., Abstractions from proofs, Proc. of POPL 2004, LNCS, Springer, Venice, Italy, 2004, pp. 232-244.
- 39. G. J. Holzmann, The SPIN model checker primer and reference manual, Addison-Wesley, California Institute of Technology, USA, 2004.
- 40. N. Tillmann and J. Halleux, Pex-white box test generation for. NET, Proc. of TAP 2008, LNCS, Springer, Prato, Italy, 2008, pp. 134-153.
- 41. D. Beyer et al., Generating tests from counterexamples, Proc. of ICSE 2004. IEEE, Edinburgh, Scotland, 2004, pp. 326-335.
- 42. D. Beyer and M. Keremoglu, CPAchecker: A tool for configurable software verification, Proceedings of CAV 2011, Springer, Snowbird, UT, USA, 2011, pp. 184–190.
- 43. C. Pacheco, S. K. Lahiri, M. D. Ernst, and T. Ball, *Feedback-directed random test generation*, Proceedings of International Conference on Software Engineering ICSE 2007. IEEE, Minneapolis, MN, USA, 2007, pp. 75-84.
- 44. G. Fraser and A. Arcuri, *EvoSuite: Automatic test suite generation for object-oriented software*, Proceedings of the 19th ACM SIGSOFT Symposium and the 13th European Conference on Foundations of Software Engineering ESEC/FSE 2011. ACM, Szeged, Hungary, 2011, pp. 416-419.
- 45. J. Atlee and J. Gannon, State-based model checking of event-driven system requirements, IEEE Trans. Software Eng. 19 (1993), no. 1, 16-28. IEEE Press.
- 46. S. Chaki et al., Modular verification of software components in C, Trans. Software Eng. 30 (2004), no. 6, 16-28. IEEE.
- 47. E. Clarke et al., Model Checking: Back and forth between hardware and software, Verified Software: Theories, Tools, Experiments, LNCS 4171, Springer, Zurich, Switzerland, 2008, pp. 251-255.
- W. Visser, C. Păsăreanu, and S. Khurshid, *Test input generation with Java PathFinder*, Proceedings of the ACM/SIGSOFT International Symposium on Software Testing and Analysis, ISSTA 2004, ACM, Boston, Massachusetts, USA, 2004, pp. 97-107.