THE ROLE OF 20-MIN NAPS ON **DECLARATIVE MEMORY PERSISTENCE**







Aylin Vazquez Chenlo¹, Julia Carosi¹, Rodrigo Ramele² & Cecilia Forcato^{1,3}


- 1 Laboratorio de Sueño y Memoria, Depto. de Ciencias de la Vida, Instituto Tecnológico de Buenos Aires (ITBA).
- 2 Centro de Inteligencia Computacional (CIC), Instituto Tecnológico de Buenos Aires (ITBA).
- 3 Consejo Nacional de Investigaciones Científicas y Tecnológicas (CONICET)

INTRODUCTION

- K-Complexes (KC) are events present in non-rapid eye movement (non-REM) sleep, which have cellular dynamics similar to slow waves and have 3 distinguishing components: an initial P200, a posterior N500 and a final P900. [1]
- Sleep plays a fundamental role in memory consolidation, favoring the transfer of new information from the hippocampus to the neocortex and its cortico-cortical redistribution. [2]
- KCs have been postulated as mediators of the hippocampal-cortical dialogue since they recruit distant neuronal populations that do not depend on cortical connections. [3]

METHODS

Main goal: Study the role of KCs in the consolidation of declarative memory during sleep.



[1] M. D. Manzar, M. M. Rajput, and M. E. Hussain. Spontaneous k-complex density in slow-wave sleep. 2016. doi: 10.1371/journal.pone.0150929. [2] Rasch, B., & Born, J. (2013). About sleep's role in memory. Physiological reviews

[3] B. A. Riedner & V. G. Tononi. Sleep homeostasis and cortical synchronization: Iii. ahigh-density EEG study of sleep slow waves in humans. 2007.

REFERENCES